## LM560A

# Technical Datasheet [ Preliminary ]

Lamp LEDs are effective in hot thermal and humid condition. This high brightness and weather-resistant packaging design makes these Lamp LEDs ideal for outdoor applications such as traffic signals, variable message signs and backlighting for transparent sign panels



#### **Features**

- · High luminous white emission
- Non-standoff leads
- 5mm package
- Viewing angle : 60 °
- Color Coordinates : x=0.45 y=0.41




#### Applications

- Electronic signs and signals
- Specialty lighting
- Small area illumination
- Torches and head lamps
- Interior lighting
- Outdoor displays



#### LM560A

#### **Outline Dimensions**



-2-

#### Notes : Protruded epoxy is 1.0mm maximum.



SEOUL SEMICONDUCTOR CO., LTD

#### Electro-Optical Characteristics ( $T_a = 25^{\circ}C$ , $I_F = 20mA$ )

14			11				
ltem	Symbol	Min.	Min. Typ.		Unit		
Luminous Intensity <sup>[1]</sup>	/ <sub>V</sub> [2]	1250	2000	-	mcd		
Luminous Flux	$\Phi_V$	-	2.7	-	lm		
Chromaticity Coordinate [3]	х, у	x=0.45, y=0.41			-		
Forward Voltage <sup>[4]</sup>	V <sub>F</sub>	-	- 3.2		V		
View Angle	$2 heta_{1/2}$		60		deg.		
Thermal Resistance	$R heta_{J-A}$		°C /W				
Optical Efficiency	$\eta_{elc}$	-	42	-	lm/W		
Reverse Current (at $V_R = 5V$ )	I <sub>R</sub>	-	-	5	μA		

#### Absolute Maximum Ratings ( $T_a = 25^{\circ}C$ )

Item	Symbol	Value	Unit
DC Forward Current	I <sub>F</sub>	30	mA
Forward Peak Pulse Current	I <sub>FP</sub> <sup>[5]</sup>	100	mA
Reverse Voltage	V <sub>R</sub>	5	V
Power Dissipation	P <sub>D</sub>	114	mW
Operating Temperature	T <sub>opr</sub>	-30 ~ 85	°C
Storage Temperature	T <sub>stg</sub>	-40 ~ 100	°C
Solder Temperature	T <sub>s</sub>	260°C for 10seconds [6]	°C

Notes :

[1] SSC maintains a tolerance of  $\pm 10\%$  on intensity and power measurements.

[2]  $I_V$  is the luminous intensity output as measured with a cylinder.

[3] Correlated Color Temperature is derived from the CIE 1931 Chromaticity diagram.

Color Coordinates Measurement allowance is  $\pm$  0.01

[4] A tolerance of  $\pm 0.05 V$  on forward voltage measurements

[5]  $t \le 0.1$ ms, D = 1/10

[6] No lower than 3mm from the base of the epoxy bulb.



-3-

## **Reliability Tests**

Item	Condition	Note	Failures
Life Test	<i>T<sub>a</sub></i> = RT, <i>I<sub>F</sub></i> = 30mA	1000hrs	0/22
High Temperature Operating	<i>T<sub>a</sub></i> = 85°C, <i>I<sub>F</sub></i> = 8mA	1000hrs	0/22
Low Temperature Operating	T <sub>a</sub> = -30°C, I <sub>F</sub> = 20mA	1000hrs	0/40
Thermal Shock	$T_a$ = -40°C (30min) ~ 100° (30min) (Transfer time : 10sec, 1Cycle = 1hr)	100 cycles	0/40
Resistance to soldering Heat	$T_s$ = 255 $\pm$ 5°C, $t$ = 10sec	1 time	0/22
ESD (Human Body Model)	1kV, 1.5kΩ;100pF	1 time	0/22
High Temperature Storage	<i>T<sub>a</sub></i> = 100°C	1000hrs	0/22
Low Temperature Storage	$T_a = -40^{\circ} \text{C}$	1000hrs	0/22
Temperature Humidity Storage	T <sub>a</sub> = 85°C, <i>RH</i> = 85%	1000hrs	0/22
Temperature Humidity Operating	T <sub>a</sub> = 85°C, <i>RH</i> = 85%, <i>I<sub>F</sub></i> = 8mA	100hrs	0/22

#### < Judging Criteria For Reliability Tests >

V <sub>F</sub>	USL <sup>[1]</sup> X 1.2
I <sub>R</sub>	USL X 2.0
l <sub>v</sub>	LSL <sup>[2]</sup> X 0.5

Notes :


[1] USL : Upper Standard Level


[2] LSL : Lower Standard Level.



-4-


## **Characteristic Diagrams**






Forward Voltage vs. Forward Current

Forward Current vs. Relative Intensity











SEOUL


<060915> Rev. 0.2



#### Ambient Temperature vs. Relative Intensity



LM560A



#### SEOUL


SEOUL SEMICONDUCTOR CO., LTD

-6-

#### <060915> Rev. 0.2

서식번호 : QP-7-03-05 (Rev.00)

#### **Color Ranks**



	Rank e						
х	0.4390	0.4323	0.4864 0.4970				
у	0.4310	0.4160	0.4294	0.4466			
	Rank g						
		Rar	nk g				
x	0.4248	<b>Rar</b> 0.4196	0.4689	0.4769			

	Rank f						
х	0.4323	0.4248	0.4769	0.4864			
у	0.4160	0.3993 0.4137 0.4294					
	Rank h						
х	0.4196	0.4129 0.4588 0.46					

0.3725

0.3877

y

-7-

Note : Color Coordinates Measurement allowance is  $\pm \mbox{ 0.01}$ 



SEOUL SEMICONDUCTOR CO., LTD

0.3838

0.4004

#### **Bin Code Description**

		Bin Code							
		Luminous Intensity		CIE	Fo	Forward Voltage			
		Ν		f		4			
				↓ ▼					
	Luminous Intensity (mcd) @ $I_F = 20$ mA			Color Rank @ I <sub>F</sub> = 20mA		Forward Voltage (V) @ I <sub>F</sub> = 20mA			
Bin Code	Min.	Max.		e f		Bin Code	Min.		Max.
М	1250	1750		g		2	2.6		2.8
N	1750	2500		9h	-	3	2.8		3.0
0	2500	3500				4	3.0		3.2
Р	3500	5000				5	3.2		3.4
						6	3.4		3.6

-8-

#### □ Not yet available ranks

SEOUL SEMICONDUCTOR CO., LTD


7

3.6

3.8

LM560A

#### Packing






SEOUL SEMICONDUCTOR CO., LTD

#### <060915> Rev. 0.2

서식번호: QP-7-03-05 (Rev.00)

#### **Soldering Profile**

- 1) Wave Soldering Conditions / Profile
- Preliminary heating to be at 85°C(120 °C max) for 20 seconds(60 seconds max).
- Soldering heat to be at 255 °C (260°C max) for 10 seconds
- Soak time above 200 °C is 5 seconds



- 2) Hand Soldering conditions
- Not more than 3 seconds at max. 350°C, under Soldering iron.
- 3) Caution
- The LEDs must not be repositioned after soldering.
- Do not apply any stress to the lead particularly when heat.

Note : In case the soldered products are reused in soldering process, we don't guarantee the products.



SEOUL SEMICONDUCTOR CO.,LTD

#### **Precaution for Use**

- 1) Storage
- Before opening the package
  - a. Avoid the absorption of moisture, we recommended to store the LEDs in a dry box(or desiccator) with a desiccant. Otherwise, store them in the following environment:
     Temperature : 5 ℃ ~30 ℃ Humidity : 50% max.
  - b. The products should be used in 3 months. It is recommended that the LEDs be used as soon as possible.
- After opening the package
  - a. Soldering should be done right after opening the package(within 24Hrs).
  - b. Keeping of a fraction
    - Sealing
    - Temperature : 5 ~ 40  $^\circ \!\! \mathbb{C}$  , Humidity : less than 30%
  - c. If the package has been opened more than 1week or the color of desiccant changes, Components should be dried for 10-12hr at  $60\pm5\,^\circ\!C$
- Any mechanical force or any excess vibration shall not be accepted to apply during cooling process to normal temp. after soldering.
- Avoid quick cooling
- Leadframes are silver plated SPCC. The silver plate surface may be affected by environments which contains corrosive substances. Please avoid conditions which may cause the LEDs to corrode, tarnish or discolor.
- 2) Lead Forming
  - When the lead forming is required before soldering, care must be taken to avoid any bending and mechanical stress. The stress to the base may damage the LEDs.
  - When mounting the LEDs onto a PCB, the holes on the circuit board should be exactly aligned with the leads of the LEDs.
  - It is recommended that tooling made to precisely form and cut the leads to length rather than rely on hand operating.



3) Static Electricity

- Static Electricity and surge voltage damage the LEDs. So it is recommended that a wrist band or an anti-electrostatic glove be used when handling the LEDs.
- All devices, equipment and machinery must be grounded properly. It is recommended that precautions should be taken against surge voltage to the equipment that mounts the LEDs.
- 4) Heat Generation
- Thermal is one of the important parameters to design the end product. Please consider the heat generation of the LEDs.
- The operating current should be decided after considering the ambient maximum temperature of LEDs.
- 5) Others
- The color of the LEDs is changed slightly an operating current and thermal.
- Anti radioactive ray design is not considered for the products listed here.
- Gallium arsenide is used in some of the products listed in this publication. These products
  are dangerous if they are burned or smashed in the process of disposal. It is also dangerous
  to drink the liquid or inhale the gas generated by such products when chemically disposed.
- This device should not be used in any type of fluid such as water, oil, organic solvent and etc. When washing is required, IPA(Isopropyl Alcohol) should be used.
- When the LEDs are illuminating, operating current should be decided after considering the junction temperature.
  - Cf.) Please refer Ambient temperature vs. Forward Current graph on page 5
- The appearance and specifications of the product may be modified for improvement without notice.

#### **SEOUL SEMICONDUCTOR CO., LTD.**

148-29, Kasan-Dong, Keumchun-Gu, Seoul, Korea TEL : +82-2-3281-6269 FAX :+82-2-858-5537 Homepage : www.seoulsemicon.com www.zled.com E-Store : www.zledstore.com E-mail : sscsale@seoulsemicon.com

