Technical Data **mSideLEDs** PRELIMINARY

MSL-510SB

09/09/2003

Features

• Package : white micro-sideview PLCC-2 package with clear silicon.

• Feature of the device : extremely wide viewing angle

ideal for backlighting and coupling in

light guides

- Wavelength : Typical : 470nm
- Viewing angle : Lambertian Emitter (X : $120^{\circ} / Y : 120^{\circ}$)
- Technology : InGaN on SiC with clear silicon
- Grouping parameter : luminous intensity, Chromaticity
- Assembly methods : suitable for all SMT assembly methods
- Soldering methods : IR reflow soldering
- Preconditioning : acc. to JEDEC Level 3
- Taping : 8-mm tape with 3500/reel, \$\$\phi180mm\$

Applications

• Backlighting : LCD Display, Key pads

Package Dimensions

0.8



Notes : 1. All dimensions are in millimeters (inches) 2. Tolerance is ±0.1 unless other specified

Recommended Solder Patterns



Method of Taping / Polarity and Orientation Packing unit 3500/reel



2. Tolerance is ± 0.1 unless other specified

Unit : mm (inch)

Selection Guide

Part Number	Luminous Intensity				Wavelength			Viewing Angle 2 q 1/2 (Degrees)	
	mcd			nm			X	У	
	Bin	Min.	Тур.	Max.	Min.	Тур.	Max.	Тур.	Тур.
MSL-510SB	R	75	-	104	460	470	475	120	120
	S	104	-	150					
	Т	150	-	213					
	U	213	-	300					

	Forward			Reverse			Thermal
		Voltage	Current			Resistance	
Device Type		V _F (Volts)	I _R (uA)			R _{aJ-S} (°C/W)	
	@IF = 20mA			@ V _R = 5V			
	Min.	Тур.	Max	Min.	Тур.	Max	Max
MSL-510SB		3.1	4.0			50	50

Maximum Ratings

U					
Parameter	Symbol	Value	Unit		
Operating Temp. range	T _{OP}	-30 ~ +85	°C		
Storage Temp. range	$T_{\rm stg}$	-40 ~ +100	°C		
Forward current	I _F	30	mA		
Peak forward current	I _{FM}	100	mA		
Reverse Voltage	V _R	5	V		
Power dissipation	$P_{\rm tot}$	120	mW		
Soldaring Tomporatura	Т	Reflow Soldering: 260°C, for 10 sec			
Soldering reinperature	∎ sid	Hand Soldering : 350°C, for 3 sec			

IFP Conditions : Pulse Width \leq 10msec and Duty \leq 1/10

Relative Spectrum Emission $I_{rel} = f(l)$, $T_A = 25^{\circ}C$, $I_F = 20mA$ V(l) = Standard eye response curve



FIG.1 RELATIVE LUMINOUS INTERSITY

Forward Current $I_F = f(V_F)$ TA = 25°C







Relative Luminous Intensity $I_V/I_V\left(20mA\right)=f\left(I_F\right)$ TA = 25^oC





IR Reflow Soldering Profile

Lead Solder



Unity **mSideLEDs** Bin Codes



of 25 ms and an accuracy of \pm 11%

Dominant Wavelength (in nanometers) @ I _F =20mA						
BIN	1	4]	3	С	
P/N	minimum	maximum	minimum	maximum	minimum	maximum
SB	460	465	465	470	470	475

Wavelength groups are tested at a current pulse duration of 25 ms and an accuracy of ± 1 nm



REEL Dimensions



Ite	Items Specifications		Remarks		
Leader	Cover Tape	Cover tape shall be longer than 400mm without carrier tape	The end of the carrier tape shall be adhered on the cover t		
	Carrier Tape	There shall be more than 40 empties	The orientation of tape shall be as shown		
Trailer		There shall be more than 40 empties	The end of the tape shall be inserted into a slit of the hub		

Surface Mount Moisture Sensitivity Specifications

1. Controlling Moisture

Unity Opto Technology, in its design of packing materials and packing methods, takes into consideration the susceptibility of some Unity packages to moisture induced damage. The risk of this damage is caused when the LED lens plastic encapsulation material is exposed to increases or decreases in the Relative Humidity of the surrounding environment.

Such damage may include delamination between the die and the LED lens plastic encapsulation material, which may result in open connections due to broken wire bonds. Moisture in the package having reached a critical level will fracture the package in order to escape when exposed to peak temperature conditions, typical in soldering practices.

Therefore, the control of moisture levels in the LED package is critical to reduce the risk of moisture-induced failures. Please follow JEDEC-STD-033A standards for handling moisture sensitive devices.

2. Packaging SMD devices:

Unity packages all SMD devices into dry pack bags (moisture barrier bags).

Unity includes a desiccant pouch in each bag. Testing confirms that the desiccant pouch greatly reduces the presence of moisture by maintaining the environment in the bag, thus protecting the devices during shipment and storage.

3. Handling Dry Packed Parts

Upon receipt, the bags should be inspected for damage to ensure that the bag's integrity has been maintained. Inspection should verify that there are no holes, gouges, tears, or punctures of any kind that may expose the contents of the bag.

To open the bag, simply cut across the top of the bag as close to the original seal as possible being careful not to damage the contents. Once open the desired quantity of units should be removed and the bag resealed. If the bag is left open longer than 2 hours, the desiccant pouch should be replaced with a dry desiccant and the bag should be sealed immediately to avoid moisture damage.