DATA SHEET

LSR37Low ohmic surge resistor

Product specification Supersedes data of 15th March 2001 File under BCcomponents, BC08 2002 Sep 26



LSR37

FEATURES

- High pulse-loading capability (flashes)
- Good replacement for carbon-composite resistors.

APPLICATIONS

 Application for overload and high voltage pulse hazard circuits (TV-sets, monitors).

DESCRIPTION

A metal glazed film is deposited on a high grade ceramic body. After that caps are applied to the rods and electrolytic copper wires are welded to these end caps.

The resistors are coated with a light-blue lacquer which provides electrical, mechanical and climatic protection.

The encapsulation is resistant to all cleaning solvents according to "MIL-STD 202E, method 215" and "IEC 60068-2-45".

ORDERING INFORMATION

Ordering code (12NC)

- The resistors have a 12-digit ordering code staring with 2322 245
- The subsequent 2 digits indicate the resistor type and packaging; see Table 1.
- The remaining digits indicate the resistance value:
 - The first 2 digits indicate the resistance value.
 - The last digit indicates the resistance decade in accordance with Table 2.

QUICK REFERENCE DATA

DESCRIPTION	VALUE	
Resistance range	220 Ω to 910 Ω	1 kΩ to 10 kΩ
Resistance tolerance and series	±10%; ±20%; E12 series	
Maximum dissipation at $T_{amb} = 70 ^{\circ}\text{C}$	0.5 W	
Thermal resistance, R _{th}	12	0 K/W
Temperature coefficient	0 to $+600 \times 10^{-6}$ /K	$-600 \text{ to } +200 \times 10^{-6} / \text{K}$
Voltage coefficient	0 to $+350 \times 10^{-6}$ /K	$\pm 50 \times 10^{-6} / V$
Maximum permissible voltage	$V = \sqrt{P_n \times R}$	
Dielectric withstanding voltage of the insulation for 1 minute	700 V	
Basic specifications	IEC 60115-1B	
Climatic category (IEC 60068)	55/155/56	
Stability after:		
load (1000 hours)	Δ R/R max.: $\pm 3\% + 0.1 \Omega$	
climatic test	Δ R/R max.: $\pm 3\% + 0.1 \Omega$	
soldering	Δ R/R max.: \pm 1% + 0.1 Ω	
High voltage test for	ΔR/R max.: ±20%	
R-value > 3.3 kΩ, 10 kV; 1 nF;	(typical value ±10%)	
50 × 12/minutes		
ESD contact discharge 12 kV;	ΔR/R max.: ±20%	
100 pulses	(typical value: ±10%)	

 Table 1
 Ordering code as function of tolerance and packaging

	TOLERANCE (%)	ORDERING CODE 2322 245		
ТҮРЕ		1000 units IN AMMOPACK	5000 units ON REEL	
LSR37	±10	12	22	
L3K3/	±20	11	21	

 Table 2
 Last digit of 12NC

RESISTANCE DECADE	LAST DIGIT
220 to 910 Ω	1
1 to 9.1 kΩ	2
10 kΩ	3

ORDERING EXAMPLE

The ordering code for a LSR37, resistor value 1.5 kW, 10% tolerance, supplied on a bandolier of 1000 units in ammopack, is: 2322 245 12152.

LSR37

FUNCTIONAL DESCRIPTION

Product characterization

Standard values of rated resistance (nominal resistance) are taken from the E12 series with a tolerance of 10% or 20%. The values of the E12 series are in accordance with "IEC publication 60063".

The limiting voltage DC is not applicable, because the maximum rated voltage for the maximum R_n -value of 10 k Ω at $P_n = 0.5$ W is only 70.7 V.

The maximum permissible hot-spot temperature is 155 °C.

Limiting values


ТҮРЕ	LIMITING VOLTAGE ⁽¹⁾ (V)	LIMITING POWER (W)
LSR37	$V = \sqrt{P_n \times R}$	0.5

Note

1. The maximum voltage that may be continuously applied to the resistor element, see "IEC publication 60115-1".

DERATING

The power that the resistor can dissipate depends on the operating temperature; see Fig.1.




www.DataSneet4U.com

Low ohmic surge resistor

L5R37

PULSE LOADING CAPABILITY





L5R37

Application information

The resistors with straight leads are suitable for processing on automatic insertion equipment and cutting and bending machines. The minimum pitch for this type is 6e (15.0 mm).

For temperature rise at soldering place see Fig.4.





LSR37

MECHANICAL DATA

Mass per 100 units

ТҮРЕ	MASS (g)	
LSR37	53.2	

Marking

The nominal resistance and tolerance are marked on the resistor using coloured bands in accordance with IEC publication 60062 "Colour codes for fixed resistors".

Three bands are used for 20% tolerance with no indication for the tolerance. Four bands are used for 10% tolerance.

Grey is used instead of silver for 10% and yellow is used instead of gold for 5% because metal particles in the lacquer could affect high-voltage properties.

Outlines

The length of the body (L_1) is measured by inserting the leads into holes of two identical gauge plates and moving these plates parallel to each other until the resistor body is clamped without deformation ("IEC publication 60294").




Table 3 Resistor type and relevant physical dimensions; see Fig.5

ТҮРЕ	ØD MAX. (mm)	L ₁ MAX. (mm)	L ₂ MAX. (mm)	Ød (mm)
LSR37	4.0	9.0	10.0	0.7 ±0.03

LSR37

TESTS AND REQUIREMENTS

Essentially all tests are carried out in accordance with the schedule of "IEC publication 60115-1", category LCT/UCT/56 (rated temperature range: Lower Category Temperature, Upper Category Temperature; damp heat, long term, 56 days). The testing also covers the requirements specified by EIA and EIAJ.

The tests are carried out in accordance with IEC publication 60068-2, "Recommended basic climatic and mechanical robustness testing procedure for electronic components" and under standard atmospheric conditions according to "IEC 60068-1", subclause 5.3.

In Table 4 the tests and requirements are listed with reference to the relevant clauses of "IEC publications 60115-1 and 60068-2"; a short description of the test procedure is also given. In some instances deviations from the IEC recommendations were necessary for our method of specifying.

All soldering tests are performed with mildly activated flux.

 Table 4
 Test procedures and requirements

IEC 60115-1 CLAUSE	IEC 60068-2 TEST METHOD	TEST	PROCEDURE	REQUIREMENTS
4.16	21 (U)	robustness of terminations:		
4.16.2	21 (Ua1)	tensile all samples	Ø0.7 mm; load 10 N; 10 s	number of failures $<10 \times 10^{-6}$
4.16.3	21 (Ub)	bending half number of samples	Ø0.7 mm; load 5 N; 4 × 90°	number of failures $<10 \times 10^{-6}$
4.16.4	21 (Uc)	torsion other half of samples	3 × 360° in opposite directions	no damage Δ R/R max.: $\pm 1.0\% + 0.10 \Omega$
4.17	20 (Ta)	solderability	2 s; 235 °C	good tinning; no damage
4.18	20 (Tb)	resistance to soldering heat	thermal shock: 3 s; 350 °C; 6 mm from body	Δ R/R max.: ±1.0% + 0.10 Ω
4.19	14 (Na)	rapid change of temperature	30 minutes at -55 °C and 30 minutes at +155 °C; 5 cycles	Δ R/R max.: ±1.0% + 0.10 Ω
4.20	29 (Eb)	bump	3×1500 bumps in 3 directions; 40 g	no damage Δ R/R max.: ±1.0% + 0.10 Ω
4.22	6 (Fc)	vibration	frequency 10 to 500 Hz; displacement 1.5 mm or acceleration 10 g; 3 directions; total 6 hours (3 × 2 hours)	no damage Δ R/R max.: $\pm 1.0\% + 0.10 \ \Omega$
4.23		climatic sequence:		
4.23.2	2 (Ba)	dry heat	16 hours; 155 °C	
4.23.3	30 (Db)	damp heat (accelerated) 1 st cycle	24 hours; 55 °C; 90 to 100% RH	
4.23.4	1 (Aa)	cold	2 hours; −55 °C	
4.23.5	13 (M)	low air pressure	2 hours; 8.5 kPa; 15 to 35 °C	
4.23.6	30 (Db)	damp heat (accelerated) remaining cycles	5 days; 55 °C; 95 to 100% RH	R_{ins} min.: 10^3 MΩ Δ R/R max.: $\pm 3.0\% + 0.1$ Ω
4.24.2	3 (Ca)	damp heat (steady state)	56 days; 40 °C; 90 to 95% RH; dissipation 0.01 P _n ; limiting voltage 100 V (DC)	ΔR/R max.: ±3.0% + 0.1 Ω

www.DataSheet4U.com

www.DataSheet4U.com

Low ohmic surge resistor

L5R37

IEC 60115-1 CLAUSE	IEC 60068-2 TEST METHOD	TEST	PROCEDURE	REQUIREMENTS
4.25.1		endurance	1000 hours at 70 °C; P _n or V _{max}	Δ R/R max.: $\pm 3.0\% + 0.1 \Omega$
4.8.4		temperature coefficient	220 Ω to 910 Ω	0 to $+600 \times 10^{-6}$ /K
			1 kΩ to 10 kΩ	$-600 \text{ to } +200 \times 10^{-6} / \text{K}$
4.7		voltage proof on insulation	700 V (RMS) during 1 minute; V-block method	no breakdown
4.6.1.1		insulation resistance	500 V (DC) during 1 minute; V-block method	R_{ins} min.: 10^4 M Ω
4.13		short time overload	room temperature; dissipation $6.25 \times P_n$; 10 cycles; 5 s on and 45 s off	Δ R/R max.: $\pm 2.5\% + 0.10 \Omega$
		high voltage pulse 10 kV; 1 nF; 50 × 12/min	for $R_n > 3.3 \text{ k}\Omega$	ΔR/R max.: ±20% (typical value ±10%)
		12 kV ESD test; 100 pulses	ESD contact discharge	ΔR/R max.: ±20% (typical value: ±10%)
4.26		active flammability "Cheese-cloth test"	$5 \times P_n$ (RMS) duration 5 minutes	no flaming of gauze cylinder
Other test in accordance with IEC 60695				
2.2		passive flammability "Needle-flame test"	application of test flame for 20 s	no ignition of product no ignition of under-layer burning time less than 30 s