

High-Speed Response MCP Assembly Ideal for High Resolution TOF-MS Detector Incorporates a Two-Stage MCP with 4 μm Channel Diameter

The F4655-13 MCP assembly is an ideal detector for high resolution TOF-MS (time-of-flight mass spectroscopy) because of a two-stage MCP with 4μm channel diameter. Our own advanced technology in optimizing MCP design allows obtaining an excellent output waveform with negligible ringing even when detecting very high-speed signals. The dimensions are exactly the same as the F4655-10 MCP assembly, ensuring a compact configuration and easy handling.



TMCPF0088

FEATURES

- Excellent Time Response
- 50 Ω Impedance Matching
- Compact and Lightweight

APPLICATION

- TOF-MS (Time-of-flight mass spectrometer)

SPECIFICATIONS

GENERAL

Parameter	Value	Unit
Assembly Outer Diameter	38.0	mm
Effective Diameter	14.5	mm
Maximum Height	31.9	mm
MCP Channel Diameter	4	μm
Number of MCP Stages	2	—

MAXIMUM RATINGS (at 1.3×10^{-4} Pa)


MCP Supply Voltage (In-Out)	2	kV
MCP-Out to Anode Voltage	0.5	kV
Electric Potential at Each Terminal	MCP-In: -2.5 MCP-Out: -0.5 Anode: GND	kV
Baking Temperature	—*	°C
Baking Time	—*	h
Baking Vacuum Condition	—*	Pa (Torr)

* Baking cannot be performed.

ELECTRICAL CHARACTERISTICS (at 1.3×10^{-4} Pa, $T_a=+25$ °C)


Gain at 2.0 kV	1×10^6	—
Plate Resistance per MCP	10 to 100	MΩ
Dark Count at 2.0 kV	5	$s^{-1} \cdot cm^{-2}$

Figure 1: Typical Output Waveform



MCP ASSEMBLY FOR HIGH RESOLUTION TOF-MS F4655-13

Figure 2: Dimensional Outlines (Unit: mm)



TMCPA0044EB

HAMAMATSU

WEB SITE www.hamamatsu.com

HAMAMATSU PHOTONICS K.K., Electron Tube Division

314-5, Shimokanzo, Iwata City, Shizuoka Pref., 438-0193, Japan, Telephone: (81)539/62-5248, Fax: (81)539/62-2205

U.S.A.: Hamamatsu Corporation: 360 Foothill Road, P. O. Box 6910, Bridgewater, N.J. 08807-0910, U.S.A., Telephone: (1)908-231-0960, Fax: (1)908-231-1218 E-mail: usa@hamamatsu.com

Germany: Hamamatsu Photonics Deutschland GmbH: Arzbergerstr. 10, D-82211 Herrsching am Ammersee, Germany, Telephone: (49)8152-375-0, Fax: (49)8152-2658 E-mail: info@hamamatsu.de

France: Hamamatsu Photonics France S.A.R.L.: 8, Rue du Saule Trapu, Parc du Moulin de Massy, 91882 Massy Cedex, France, Telephone: (33)1 69 53 71 00, Fax: (33)1 69 53 71 10 E-mail: infos@hamamatsu.fr

United Kingdom: Hamamatsu Photonics UK Limited: 2 Howard Court, 10 Tewin Road Welwyn Garden City Hertfordshire AL7 1BW, United Kingdom, Telephone: 44-(0)1707-294888, Fax: 44(0)1707-325777 E-mail: info@hamamatsu.co.uk

North Europe: Hamamatsu Photonics Norden AB: Smidesvägen 12, SE-171-41 SOLNA, Sweden, Telephone: (46)8-509-031-00, Fax: (46)8-509-031-01 E-mail: info@hamamatsu.se

Italy: Hamamatsu Photonics Italia: S.R.L.: Strada della Moia, 1/E, 20020 Arese, (Milano), Italy, Telephone: (39)02-935 81 733, Fax: (39)02-935 81 741 E-mail: info@hamamatsu.it

TMCP1021E02
AUG. 2005 IP