

SINGLE PHASE HALL EFFECT LATCH

AH477

Description

The AH477 is an integrated Hall sensor with output driver designed for electronic commutation of brushless DC motor applications. The device includes an on-chip Hall sensor for magnetic sensing, an amplifier that amplifies the Hall voltage, a comparator to provide switching hysteresis for noise rejection, a bi-directional drivers for sinking and driving large current load. It also includes an internal bandgap regulator to provide temperature compensated bias for internal circuits and allows a wide operating supply voltage range.

Placing the device in a variable magnetic field, if the magnetic flux density is larger than threshold B_{OP} the DO is turned to sink and DOB is turned to drive. This output state is held until the magnetic flux density reverses and falls below B_{RP} , then causes DO to be turned to driveand DOB turned to sink.

Parametric Table

Supply Voltage (V)	4 to 20
Output Down Saturation Voltage (V)	0.25
Output Up Saturation Voltage (V)	1.0
Supply Current (mA)	14
Hysteresis (Gauss)	70
Package	TO-94

Features

- On-Chip Hall Sensor
- Operating Voltage: 4V to 20V
- H-Bridge Output Drivers for Single Coil
- Internal Bandgap Regulator for Temperature Compensation
- Low Output Switching Current Noise
- -20°C to 85°C Operating Temperature
- Low Profile TO-94 (SIP-4L) Package
- ESD Rating: 3000V (Human Body Model)

Benefits

- Minimum External Components
- Good High Temperature Performance
- High Efficiency
- Rotate Reposefully

Applications

- Single-Coil Brushless DC Motor
- Single-Coil Brushless DC Fan

Additional Available Materials


- Samples
- Preliminary Datasheet
- · Reliability Report
- ESD Report



SINGLE PHASE HALL EFFECT LATCH

Pin Configuration

Z4 Package (TO-94)



Ordering Information Example

	Package	Temperature Range	Part Number	Marking ID	Packing Type
TO-94	TO-94	-20 to 85 °C	AH477Z4-AE1	AH477Z4-AE1	Bulk
	10-74		AH477Z4-BE1	AH477Z4-BE1	Bulk

Detailed information please refer to the relevant datasheet.

Sales Office:

USA

30920 Huntwood Ave. Hayward, CA 94544,

USA

Tel: +1-510-324-2988 Fax: +1-510-324-2788

Taiwan

4F, 298-1 Rui Guang Road, Nei-Hu District, Taipei,

Taiwan

Tel: 886-2-2656-2808 Fax: 886-2-2656-2806 Shanghai

8F, B Zone, 900 Yi Shan Road, Shanghai 200233,

China

Tel: 86-21-6495 9539 Fax: 86-21-6485 9673

Shenzhen

Room E, 5F, Noble Center, No.1006, 3rd Fuzhong Road, Futian

District, Shenzhen 518026, China

Tel: 86-755-8826 7951 Fax: 86-755-8826 7865

Nov. 2007

BCD Semiconductor Manufacturing Limited