

Micro Commercial Components

Micro Commercial Components 20736 Marilla Street Chatsworth CA 91311

Phone: (818) 701-4933 Fax: (818) 701-4939

SAC136

Lead Free Finish/RoHS Compliant(Note 1) ("P" Suffix designates RoHS Compliant. See ordering information)

- Case Material: Molded Plastic. UL Flammability Classification Rating 94V-0 and MSL Rating 1
- Glass Passivated Junction
- Excellent Clamping Capability
- UL Recognized File # E331408

Mechanical Data

Case: DO-15 molded plastic case

Maximum Ratings

| - | Symbol | Value | Units |
|---|--------------------|------------|---------------|
| Steady State Power Dissipation @ T_L =90 $^{\circ}$ C | P _{M(AV)} | 1.5 | Watts |
| Peak Pulse Power Surge Current with a 10/1000 μ s Waveform(Note 2.) | I _{PPM} | 2.7 | Amps |
| Junction Temperature | T_J | -40 to 150 | ${\mathbb C}$ |
| Storage Temperature Range | T _{STG} | -40 to 150 | $^{\circ}$ |


Notes: 1. High Temperature Solder Exemption Applied, see EU Directive Annex Notes 7.

2. Non-repetitive current pulse



Internal Configuration

136V Peak Clamp Transient Voltage Suppressor



| DIMENSIONS | | | | | |
|------------|--------|-------|-------|------|------|
| DIM | INCHES | | ММ | | NOTE |
| | MIN | MAX | MIN | MAX | NOTE |
| Α | 0.230 | 0.300 | 5.80 | 7.60 | |
| В | 0.104 | 0.140 | 2.60 | 3.60 | |
| С | 0.026 | 0.034 | 0.71 | 0.86 | |
| D | 1.000 | | 25.40 | | |



ELECTRICAL CHARACTERISTICS @25°C

| MCC PART NUMBER | STAND-OFF VOLTAGE V _{WM} | BREAKDOWN VOLTAGE AT I _T =1.0mA V _(BR) | MAXIMUM REVERSE LEAKAGE AT V _{WM} IR | MAXIMUM CLAMPING VOLTAGE AT I _{PP} =2.7A V _C | MAXIMUM PEAK PULSE CURRENT | MAXIMUM JUNCTION CAPACITAN CE AT 0 VOLTS | WORKING INVERSE BLOCKING VOLTAGE V _{WIB} | PEAK INVERSE BLOCKING VOLTAGE V _{PIB} |
|-----------------------|---|---|---|--|----------------------------|--|---|--|
| | V | V | μA | V | Amps | pF | V | V |
| SAC136 | 136 | (150~170) | 1 | 219 | 2.7 | 35 | 700 | 700 |



Micro Commercial Components

Ordering Information

| Device | Packing | | |
|------------------|---------------------|--|--|
| (Part Number)-TP | Tape&Reel4Kpcs/Reel | | |
| (Part Number)-BP | Bulk;500pcs/Box | | |

IMPORTANT NOTICE

Micro Commercial Components Corp. reserves the right to make changes without further notice to any product herein to make corrections, modifications, enhancements, improvements, or other changes.
Micro Commercial Components Corp. does not assume any liability arising out of the application or use of any product described herein; neither does it convey any license under its patent rights, nor the rights of others. The user of products in such applications shall assume all risks of such use and will agree to hold Micro Commercial Components Corp. and all the companies whose products are represented on our website, harmless against all damages.

APPLICATIONS DISCLAIMER

Products offer by *Micro Commercial Components Corp* . are not intended for use in Medical,

Aerospace or Military Applications.

1