


Specifications

Parameter	Unit	Minimum	Typical	Maximum
Center Frequency	MHz	73.9	74	74.1
Insertion Loss	dB	-	24.6	26
1 dB Bandwidth	MHz	7	7.1	-
3 dB Bandwidth	MHz	-	7.46	-
40 dB Bandwidth	MHz	-	8.8	-
50 dB Bandwidth	MHz	-	8.93	9
Passband Variation($f_0 \pm 3.5\text{MHz}$)	dB	-	0.6	0.8
Absolute Delay	usec	-	2.34	-
Phase Linearity($f_0 \pm 3.5\text{MHz}$)	deg	-	4	6
Group Delay Variation($f_0 \pm 3.5\text{MHz}$)	nsec	-	70	120
Ultimate Rejection	dB	54	60	-
Material Temperature coefficient	KHz/°C	-6.068		
Ambient Temperature	°C	25		
Package Size	DIP2712 (27.0x12.8x4.7mm ³)			

Notes:


1. All specifications are based on the test circuit shown
2. In production, devices will be tested at room temperature to a guardbanded specification to ensure electrical compliance over temperature
3. Electrical margin has been built into the design to account for the variations due to temperature drift and manufacturing tolerances
4. This is the optimum impedance in order to achieve the performance show
5. Measurement of Group Delay without smoothing.

Matching Configuration




C1=47pF
Source/Load Impedance=50 ohm

Notes - Component values may change depending on board layout.

	SIPAT Co., Ltd. (CETC No. 26 Research Institute) Nanping Huayuan Road No. 14 Chongqing, China, 400060	Part Number	LBN07404	
		Rev. Date	2007-1-23	
		Rev.	1.0	Page 1/3

Package Dimension



Input	1
Output	4
Ground	2,3,5,6

Package: DIP2712

Unit: mm




SIPAT Co., Ltd.
(CETC No. 26 Research Institute)
Nanping Huayuan Road No. 14
Chongqing, China, 400060


Part Number	LBN07404	
Rev. Date	2007-1-23	
Rev.	1.0	Page 2/3

Typical Performance


Frequency Respond




Passband Respond




Group Delay Variation(f0±3.5MHz)




Phase Linearity(f0±3.5MHz)



Smith Chart S11



Smith Chart S22



SIPAT Co., Ltd.
(CETC No. 26 Research Institute)
Nanping Huayuan Road No. 14
Chongqing, China, 400060

Part Number

LBN07404

Rev. Date

2007-1-23

Rev.

1.0

Page 3/3