## ULTRA MINIATURE PURE SILICON™ CLOCK OSCILLATORS

ASEM1, ASDM1, ASAM1





Sizes Vary

## > FEATURES:

- Ultra Miniature Pure Silicon™ Clock Oscillator
- MEMS Technology by Discera
- Low Power Consumption <10mA
- Exceptional Stability Over Temp. at 0 70°C
- Extended Temperature Options Also Available
- Available in 30kG Shock Resistance Configuration
- Low Cost-Compact QFN Plastic Packaging
- Compact Package design

## > APPLICATIONS:

- CCD Clock for VTR Camera
- Equipment Connected to PCs
- Low Profile Equipment
- Lower Cost Crystal Oscillator Replacement
- Computers and Peripherals
- Portable Electronics (MP3 Players, Games)
- Consumer Electronics such as TV's, DVR's, etc.
- Vibrant, Shock-Prone & Humid Environments for Industrial Equipment
- Demanding Military & Automotive Electronics



## **PART SPECIFICATIONS:**

| PART  | SIZE                             | PROJECTED RELEASE                       | PARAMETERS   |
|-------|----------------------------------|---|--|
| ASEM1 | 3.2 x 2.5 x 0.8mm                | Samples Available in                    | 2.7Vdc to 3.3Vdc • Plastic QFN Package                             |
|       | Life Size ■ ₩                    | Quarter 2, 2008                         | CMOS output up to 125MHz   |
| ASDM1 | 2.5 x 2.0 x 0.8mm  Life Size ■ ■ | Samples Available in<br>Quarter 3, 2008 | 1.8Vdc to 3.3Vdc • Plastic QFN Package<br>CMOS output up to 125MHz |
| ASAM1 | 2.0 x 1.6 x 0.7mm                | Samples Available in                    | 1.8Vdc to 3.3Vdc • Plastic QFN Package                             |
|       | Life Size ■ ■                    | Quarter 2, 2009                         | CMOS output up to 125MHz   |

For more information, please visit our website at www.abracon.com/mems.htm



