

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0039296108

Status:

Active

Overview:

minifit_jr

Description:

4.20mm (.165") Pitch Mini-Fit Jr.™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 10 Circuits, PA Polyamide Nylon 6/6 94V-0, 0.76µm (30µ") Gold (Au) Selective Plating, without Drain Holes

Documents:

3D Model

Drawing (PDF)

RoHS Certificate of Compliance (PDF)

Agency Certification

CSA	LR19980
TUV	R72081037
UL	E29179

General

Product Family	PCB Headers
Series	5566
Application	Wire-to-Board
Comments	Current = 13A max. per circuit when header is mated to a receptacle loaded with 45750 Mini-Fit Plus HCS™ Crimp Terminal Crimped to to 16 AWG wire. . See Molex product specification PS-45750-001 for additional current de-rating information.. High Temperature, Square Pin, Solder Type
Overview	minifit_jr
Product Name	Mini-Fit Jr.™

Physical

Breakaway	No
Circuits (Loaded)	10
Circuits (maximum)	10
Color - Resin	Natural
Durability (mating cycles max)	30
First Mate / Last Break	No
Flammability	94V-0
Glow-Wire Compliant	No
Guide to Mating Part	No
Keying to Mating Part	None
Lock to Mating Part	Yes
Material - Metal	Brass
Material - Plating Mating	Gold
Material - Plating Termination	Tin
Material - Resin	Nylon
Number of Rows	2
Orientation	Vertical
PC Tail Length (in)	0.138 In
PC Tail Length (mm)	3.50 mm
PCB Locator	Yes
PCB Retention	None
PCB Thickness Recommended (in)	0.062 In
PCB Thickness Recommended (mm)	1.60 mm
Packaging Type	Tray
Pitch - Mating Interface (in)	0.165 In
Pitch - Mating Interface (mm)	4.20 mm




image - Reference onlySeries

EU RoHS

ELV and RoHS

Compliant

REACH SVHC

Contains SVHC: No

Halogen-Free

Status

Halogen-Free

China RoHS

Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

5566Series


Mates With

5557 Mini-Fit Jr.™ Receptacle Housing


Pitch - Term. Interface (in)	0.165 In
Pitch - Term. Interface (mm)	4.20 mm
Polarized to Mating Part	Yes
Polarized to PCB	Yes
Shrouded	Fully
Stackable	No
Surface Mount Compatible (SMC)	No
Temperature Range - Operating	-40°C to +105°C
Termination Interface: Style	Through Hole
Electrical	
Current - Maximum per Contact	13A
Voltage - Maximum	600V
Material Info	
Old Part Number	5566-10AGS-210
Reference - Drawing Numbers	
Packaging Specification	PK-5566
Sales Drawing	SD-5566-002, SD-5566-NA**-*

This document was generated on 05/21/2010


PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



51.6	46.2	24
47.4	42	22
43.2	37.8	20
39	33.6	18
34.8	29.4	16
30.6	25.2	14
26.4	21	12
22.2	16.8	10
18	12.6	8
13.8	8.4	6
9.6	4.2	4
5.4	—	2
寸法 B	寸法 A	極数



極数別レイアウト図
(SCALE 1:1)



注 記

1. 嵌合相手 : 5557シリーズ

2. 使用符号の説明

ベースナンバー 5566 - N A * * - *

極数

アッセンブリー

ターミナル材料

"BLANK" : 黄銅

PB : リン青銅

ターミナルのメッキ

"BLANK" : 錫メッキ 0.9μm MIN.

GS : ニッケル 1.27μm MIN. 全面下地

コンタクト部 金 0.76μm MIN.



半田付け部 錫 2.54μm MIN.

ヘッダー材料

"BLANK" : ナイロン 66, UL 94V-2

210 : ナイロン 66, UL 94V-0

400 : ナイロン 66, UL 94V-0, 黒



基板穴推奨寸法
(SCALE 2:1)

				材料 MATERIAL		MOLEX-JAPAN CO.,LTD. 日本モレックス株式会社	
				注記 2 参照		EDP NO. SHEET 2 OF 2 参照	
				仕上げ FINISH 注記 2 参照		ENG. NO. SHEET 1 OF 2	
				適用電線範囲 WIRE RANGE —		SD-5566-NA***	
				被覆外径 INS. RANGE —		REV F	
角度 ANGLE ±3°				DRAWN BY '89/5/7 H.HIRAMOTO		TITLE 名称	
30°以上 OVER ±0.4 ±0.3				CHK'D BY '91/10/29 M.FUKUSHIMA		NEW MINI FIT CONNECTOR	
10°以上 30°未満 OVER UNDER ±0.3 ±0.25				APP'D BY '91/10/29 M.ENOMOTO		HEADER ASS'Y -LEAD FREE-	
10°未満 UNDER ±0.2				REVISION RECORD		SCALE 4 - 1	
一般公差 GENERAL TOLERANCES				REVISE ONLY ON CAD SYSTEM			

		8		7		6		5		4		3		2		1			
ENC. NO SD-5566-NA**-*	EDP NO. 表 参照													39-35-0248	5566-24A-400	24	F		
														▲ -0228	▲ -22A-400	22			
														-0208	-20A-400	20			
														-0188	-18A-400	18			
														-0168	-16A-400	16			
														-0148	-14A-400	14			
														-0128	-12A-400	12			
														-0108	-10A-400	10			
														-0088	-08A-400	8			
														-0068	-06A-400	6			
												▼ -0048	▼ -04A-400	4					
												39-35-0028	5566-02A-400	2					
												EDP NO.	ENG. NO	極数					
												5566-NA-400							
												39-29-5247	5566-24APB-210	24	E				
												▲ -5227	▲ -22APB-210	22					
												-5207	-20APB-210	20					
												-5187	-18APB-210	18					
												-5167	-16APB-210	16					
												-5147	-14APB-210	14					
												-5127	-12APB-210	12					
												-5107	-10APB-210	10					
												-5087	-08APB-210	8					
												-5067	-06APB-210	6					
												▼ -5047	▼ -04APB-210	4					
												39-29-5027	5566-02APB-210	2	D				
												EDP NO.	ENG. NO	極数					
												5566-NAPB-210							
												39-29-5246	5566-24APB	24					
												▲ -5226	▲ -22APB	22					
												-5206	-20APB	20					
												-5186	-18APB	18					
												-5166	-16APB	16					
												-5146	-14APB	14					
												-5126	-12APB	12					
												-5106	-10APB	10					
												-5086	-08APB	8					
												-5066	-06APB	6					
												▼ -5046	▼ -04APB	4					
												39-29-5026	5566-02APB	2	C				
												EDP NO.	ENG. NO	極数					
												5566-NAPB							
												39-29-0243	5566-24AGS	24					
												▲ -0223	▲ -22AGS	22					
												-0203	-20AGS	20					
												-0183	-18AGS	18					
												-0163	-16AGS	16					
												-0143	-14AGS	14					
												-0123	-12AGS	12					
												-0103	-10AGS	10					
												-0083	-08AGS	8					
												-0063	-06AGS	6					
												▼ -0043	▼ -04AGS	4					
												39-29-0023	5566-02AGS	2	B				
												EDP NO.	ENG. NO	極数					
												5566-NAGS							
												39-28-8240	5566-24A-210	24					
												▲ -8220	▲ -22A-210	22					
												-8200	-20A-210	20					
												-8180	-18A-210	18					
												-8160	-16A-210	16					
												-8140	-14A-210	14					
												-8120	-12A-210	12					
												-8100	-10A-210	10					
												-8080	-08A-210	8					
												-8060	-06A-210	6					
												▼ -8040	▼ -04A-210	4					
												39-28-8020	5566-02A-210	2	A				
												EDP NO.	ENG. NO	極数					
												5566-NA-210							
												39-28-1243	5566-24A	24					
												▲ -1223	▲ -22A	22					
												-1203	-20A	20					
												-1183	-18A	18					
												-1163	-16A	16					
												-1143	-14A	14					
												-1123	-12A	12					
												-1103	-10A	10					
												-1083	-08A	8					
												-1063	-06A	6					
												▼ -1043	▼ -04A	4					
												39-28-1023	5566-02A	2					
												EDP NO.	ENG. NO	極数					
												5566-NA							
												39-28-0243	5566-24AGS	24					
												▲ -0223	▲ -22AGS	22					
												-0203	-20AGS	20					
												-0183	-18AGS	18					
												-0163	-16AGS	16					
												-0143	-14AGS	14					
												-0123	-12AGS	12					
												-0103	-10AGS	10					
												-0083	-08AGS	8					
												-0063	-06AGS	6					
												▼ -0043	▼ -04AGS	4					
												39-28-0023	5566-02AGS	2					
												EDP NO.	ENG. NO	極数					
												5566-NAGS							
												39-28-0243	5566-24AGS	24					
												▲ -0223	▲ -22AGS	22					
												-0203	-20AGS	20					
												-0183	-18AGS	18					
												-0163	-16AGS	16					
												-0143	-14AGS	14					
												-0123	-12AGS	12					
												-0103	-10AGS	10					
												-0083	-08AGS	8					
												-0063	-06AGS	6					
												▼ -0043	▼ -04AGS	4					
												39-28-0023	5566-02AGS	2					
												EDP NO.	ENG. NO	極数					
												5566-NAGS							
												39-28-0243	5566-24AGS	24					
												▲ -0223	▲ -22AGS	22					
												-0203	-20AGS	20					
												-0183	-18AGS	18					
												-0163	-16AGS	16					
												-0143	-14AGS	14					
												-0123	-12AGS	12					
												-0103	-10AGS	10					
												-0083	-08AGS	8					
												-0063	-06AGS	6					
												▼ -0043	▼ -04AGS	4					
												39-28-0023	5566-02AGS	2					
												EDP NO.	ENG. NO	極数					
												5566-NAGS							
												39-28-0243	5566-24AGS	24					
												▲ -0223	▲ -22AGS	22					
												-0203	-20AGS	20					
												-0183	-18AGS	18					
												-0163	-16AGS	16					
												-0143	-14AGS	14					
												-0123	-12AGS	12					
												-0103	-10AGS	10					
												-0083	-08AGS	8					
												-0063	-06AGS	6					
												▼ -0043	▼ -04AGS	4					
												39-28-0023	5566-02AGS	2					
												EDP NO.	ENG. NO	極数					
												5566-NAGS							
												39-28-0243	5566-24AGS	24					
												▲ -0223	▲ -22AGS	22					
												-0203	-20AGS	20					
												-0183	-18AGS	18					
												-0163	-16AGS	16					
												-0143	-14AGS	14					
												-0123	-12AGS	12					
												-0103	-10AGS	10					
												-0083	-08AGS	8					
												-0063	-06AGS	6					
												▼ -0043	▼ -04AGS	4					
												39-28-0023	5566-02AGS	2					
												EDP NO.	ENG. NO	極数					
												5566-NAGS							
												39-28-0243	5566-24AGS	24					
												▲ -0223	▲ -22AGS	22					
												-0203	-20AGS	20					
												-0183	-18AGS	18					
												-0163	-16AGS	16					
												-0143	-14AGS	14					
												-0123	-12AGS	12					
												-0103	-10AGS	10					
												-0083	-08AGS	8					
												-0063	-06AGS	6					
												▼ -0043	▼ -04AGS	4					
												39-28-0023	5566-02AGS	2					
												EDP NO.	ENG. NO	極数					
												5566-NAGS							
												39-28-0243	5566-24AGS	24					
												▲ -0223	▲ -22AGS	22					
												-0203	-20AGS	20					
												-0183	-18AGS	18					
												-0163	-16AGS	16					
												-0143	-14AGS	14					
												-0123	-12AGS	12					
												-0103	-10AGS	10					
												-0083	-08AGS	8					
												-0063	-06AGS	6					
												▼ -0043	▼ -04AGS	4					
												39-28-0023	5566-02AGS	2					
												EDP NO.	ENG. NO	極数					
												5566-NAGS							
												39-28-0243	5566-24AGS	24					
												▲ -0223	▲ -22AGS	22					
												-0203	-20AGS	20					
												-0183	-18AGS	18					
												-0163	-16AGS	16					
												-0143	-14AGS	14					
												-0123	-12AGS	12					
												-0103	-10AGS	10					
												-0083	-08AGS	8					
												-0063	-06AGS	6					
												▼ -0043	▼ -04AGS	4					
												39-28-0023	5566-02AGS	2					
												EDP NO.	ENG. NO	極数					
												5566-NAGS							
												39-28-0243	5566-24AGS	24					
												▲ -0223	▲ -22AGS	22					
												-0203	-20AGS	20					
												-0183	-18AGS	18					
												-0163	-16AGS	16					
												-0143	-14AGS	14					
												-0123	-12AGS	12					
												-0103	-10AGS	10					
												-0083	-08AGS	8					
												-0063	-06AGS	6					
												▼ -0043	▼ -04AGS	4					
												39-28-0023	5566-02AGS	2					
												EDP NO.	ENG. NO	極数					
												5566-NAGS							
												39-28-0243	5566-24AGS	24					
												▲ -0223	▲ -22AGS	22					
												-0203	-20AGS	20					
												-0183	-18AGS	18					
												-0163	-16AGS	16					
												-0143	-14AGS	14					
												-0123	-12AGS	12					
												-0103	-10AGS	10					
												-0083	-08AGS	8					
												-0063	-06AGS	6					
												▼ -0043	▼ -04AGS	4					
												39-28-0023	5566-02AGS	2					
												EDP NO.	ENG. NO	極数					
												5566-NAGS							
												39-28-0243	5566-24AGS	24					
												▲ -0223	▲ -22AGS	22					
												-0203	-20AGS	20					
												-0183	-18AGS	18					
												-0163	-16AGS	16					
												-0143	-14AGS	14					
												-0123	-12AGS	12					
												-0103	-10AGS	10					
												-0083	-08AGS	8					
												-0063	-06AGS	6					
												▼ -0043	▼ -04AGS	4					
												39-28-0023	5566-02AGS	2					
												EDP NO.	ENG. NO	極数					
												5566-NAGS							
												39-28-0243	5566-24AGS	24					
												▲ -0223	▲ -22AGS	22					
												-0203	-20AGS	20					
												-0183	-18AGS	18					
												-0163	-16AGS	16					
												-0143	-14AGS	14					
												-0123	-12AGS	12					
												-0103	-10AGS	10					
												-0083	-08AGS	8					
												-0063	-06AGS	6					
												▼ -0043	▼ -04AGS	4					
												39-28-0023	5566-02AGS	2					
												EDP NO.	ENG. NO	極数					
												5566-NAGS							
												39-28-0243	5566-24AGS	24					
												▲ -0223	▲ -22AGS	22					
												-0203	-20AGS	20					
												-0183	-18AGS	18					
												-0163	-16AGS	16					
												-0143	-14AGS	14					
												-0123	-12AGS	12					
												-0103	-10AGS	10					
												-0083	-08AGS	8					
												-0063	-06AGS	6					
												▼ -0043	▼ -04AGS	4					
												39-28-0023	5566-02AGS	2					
												EDP NO.	ENG. NO	極数					
												5566-NAGS							
												39-28-0243	5566-24AGS	24					
												▲ -0223	▲ -22AGS	22					
												-0203	-20AGS	20					
												-0183	-18AGS	18					
												-0163	-16AGS	16					
												-0143	-14AGS	14					
												-0123	-12AGS	12					
												-0103	-10AGS	10					
												-0083	-08AGS	8					
												-0063	-06AGS	6					
												▼ -0043	▼ -04AGS	4					
												39-28-0023	5566-02AGS	2					
												EDP NO.	ENG. NO	極数					
												5566-NAGS							
												39-28-0243	5566-24AGS	24					
												▲ -0223	▲ -22AGS	22					
												-0203	-20AGS	20					
												-0183	-18AGS	18					
												-0163	-16AGS	16					
												-0143	-14AGS	14					
												-0123	-12AGS	12					
												-0103	-10AGS	10					
												-0083	-08AGS	8					
												-0063	-06AGS	6					
												▼ -0043	▼ -04AGS	4					
												39-28-0023	5566-02AGS	2					
												EDP NO.	ENG. NO	極数					
												5566-NAGS							
												39-28-0243	5566-24AGS	24					
												▲ -0223	▲ -22AGS	22					
												-0203	-20AGS	20					
												-0183	-18AGS	18					
												-0163	-16AGS	16					
												-0143	-14AGS	14					
												-0123	-12AGS	12					
												-0103	-10AGS	10					
												-0083	-08AGS	8					
												-0063	-06AGS	6					
												▼ -0043	▼ -04AGS	4					
												39-28-0023	5566-02AGS	2					
												EDP NO.	ENG. NO	極数					
												5566-NAGS							
												39-28-0243	5566-24AGS	24					
												▲ -0223	▲ -22AGS	22					
												-0203	-20AGS	20					
												-0183	-18AGS	18					
												-0163	-16AGS	16					
												-0143	-14AGS	14					
												-0123	-12AGS	12					
												-0103	-10AGS						