

Preliminary "High Frequency Ceramic Solutions"

2.5GHz Chip Antenna (No GND clearance required)

P/N 2500AT43A0100

Detail Specification: 01/21/2009

Page 1 of 4

General Specifications

Part Number	2500AT43A0100
Frequency Range	2450 - 2550
Peak Gain	0.6 dBi typ. (YZ-total)
Average Gain	-2.1 dBi typ. (XZ-total)
Return Loss	3.0 dB min.
Impedance	50 Ω
Input Power	2W max.



Operating Temperature	-40 to +85°C
Storage Temperature Range	+5~+35°C, Humidity 45~75%RH
Reel Quantity	1,000

Terminal Configuration

No.	Function
1	Feeding Point
2	GND
3	GND
4	NC
5	NC
6	GND
7	GND
8	GND


Mechanical Dimensions

	In	mm
L	0.276 ± 0.008	7.00 ± 0.20
W	0.079 ± 0.008	2.00 ± 0.20
T	0.157 ± 0.008	4.00 ± 0.20
a1	0.033 ± 0.008	0.85 ± 0.20
a2	0.039 ± 0.008	1.00 ± 0.20
b1	0.020 ± 0.008	0.50 ± 0.20
b2	0.039 ± 0.008	1.00 ± 0.20



Mounting Considerations

*Line width should be designed to match 50 Ω characteristic impedance, depending on PCB material and thickness



JTI P/N for Matching Circuit:
Inductor (4.7nH): L-14C4N7SV6T
Capacitor (0.5pF): 251R14S0R5V4T

Matching circuit and component values will be different, depending on PCB layout

Johanson Technology, Inc. reserves the right to make design changes without notice.
 All sales are subject to Johanson Technology, Inc. terms and conditions.



www.johansontechnology.com

4001 Calle Tecate • Camarillo, CA 93012 • TEL 805.389.1166 FAX 805.389.1821

2009 Johanson Technology, Inc. All Rights Reserved

Preliminary "High Frequency Ceramic Solutions"


2.5GHz Chip Antenna (No GND clearance required)

P/N 2500AT43A0100

Detail Specification: 05/22/08

Page 2 of 4

Mounting Considerations



Johanson Technology, Inc. reserves the right to make design changes without notice.
All sales are subject to Johanson Technology, Inc. terms and conditions.



www.johansontechnology.com

4001 Calle Tecate • Camarillo, CA 93012 • TEL 805.389.1166 FAX 805.389.1821

2009 Johanson Technology, Inc. All Rights Reserved


Preliminary "High Frequency Ceramic Solutions"

2.5GHz Chip Antenna (No GND clearance required)

P/N 2500AT43A0100

Detail Specification: 05/22/08

Page 3 of 4



Johanson Technology, Inc. reserves the right to make design changes without notice.
All sales are subject to Johanson Technology, Inc. terms and conditions.



www.johansontechnology.com

4001 Calle Tecate • Camarillo, CA 93012 • TEL 805.389.1166 FAX 805.389.1821

2009 Johanson Technology, Inc. All Rights Reserved

Preliminary "High Frequency Ceramic Solutions"


2.5GHz Chip Antenna (No GND clearance required)

P/N 2500AT43A0100



Detail Specification: 05/22/08

Page 4 of 4



Typical Radiation Patterns




XY cut @2.5GHz
 — Vertical
 Horizontal



XZ cut @2.5GHz
 — Vertical
 Horizontal



YZ cut @2.5GHz
 — Vertical
 Horizontal



Johanson Technology, Inc. reserves the right to make design changes without notice.
 All sales are subject to Johanson Technology, Inc. terms and conditions.



www.johansontechnology.com

4001 Calle Tecate • Camarillo, CA 93012 • TEL 805.389.1166 FAX 805.389.1821

2009 Johanson Technology, Inc. All Rights Reserved