

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0713086426](#)
Status: **Active**
Description: 2.54mm (.100") Pitch C-Grid® Header, Surface Mount, Dual Row, Vertical, 26 Circuits, 1.50µm (59µ") Minimum Bright Tin (Sn) Over Nickel (Ni) Plating, with 3.30mm (.130") PCB Locator Pegs

Documents:

[3D Model](#) [Product Specification PS-71308 \(PDF\)](#)
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

Agency Certification

CSA LR19980
 UL E29179

General

Product Family PCB Headers
 Series [71308](#)
 Application Board-to-Board, Wire-to-Board
 Product Name C-Grid®

Physical

Breakaway Yes
 Circuits (Loaded) 26
 Circuits (maximum) 26
 Color - Resin Black
 Durability (mating cycles max) 50
 Flammability 94V-0
 Glow-Wire Compliant No
 Lock to Mating Part None
 Material - Metal Phosphor Bronze
 Material - Plating Mating Tin
 Material - Plating Termination Tin
 Material - Resin High Temperature Thermoplastic
 Number of Rows 2
 Orientation Vertical
 PCB Locator Yes
 PCB Retention Yes
 Packaging Type Tube
 Pitch - Mating Interface (in) 0.100 In
 Pitch - Mating Interface (mm) 2.54 mm
 Polarized to PCB No
 Shrouded No
 Stackable Yes
 Temperature Range - Operating -40°C to +105°C
 Termination Interface: Style Surface Mount


Electrical

Current - Maximum per Contact 3A
 Voltage - Maximum 250V

Solder Process Data

Duration at Max. Process Temperature (seconds) 40
 Lead-free Process Capability Reflow Capable (SMT only)
 Max. Cycles at Max. Process Temperature 3
 Process Temperature max. C 260

Material Info



*Series
image - Reference only*

EU RoHS

**ELV and RoHS
Compliant**
**REACH SVHC
Contains SVHC: No**
**Halogen-Free
Status
Not Reviewed**

China RoHS



**Need more information on product
environmental compliance?**

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[71308Series](#)

Reference - Drawing Numbers


Product Specification
Sales Drawing

PS-71308, RPS-71308-001
SD-71308-001

This document was generated on 03/30/2010


PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

OPTIONAL
PICK AND PLACE CAP
SEE NOTES 4 & 9.




DIM. "M"	DIM. "G"
6.10 .240	10.67 .420
8.13 .320	12.70 .500

PEG OPTIONS




P.C. BOARD PAD LAYOUT
AT ENDS FOR NO PEG VERSION.





RECOMMENDED P.C. BOARD PAD LAYOUT

⊕ 0.50/.020|U|X FOR PARTS WITH PEGS
⊕ 0.50/.020|U|Y FOR PARTS WITHOUT PEGS

ROW "A"
ROW "B"



USED TO LOCATE VOIDED CIRCUITS



- NOTES:
- MATERIALS: INSULATOR: GLASS FILLED LIQUID CRYSTAL POLYMER (LCP), UL94 V-0, COLOR: BLACK
TERMINAL: COPPER ALLOY
 - FINISH:
59 TIN - 0.00150/.000059 MINIMUM BRIGHT TIN OVER NICKEL OVERALL.
150 TIN - 0.00381/.000150 MINIMUM BRIGHT TIN OVER NICKEL OVERALL.
15 GOLD - 0.00038/.000015 MINIMUM GOLD IN SELECT AREA OVER 0.00191/.000075 MINIMUM TIN IN SELECT AREA OVER NICKEL OVERALL.
30 GOLD - 0.00076/.000030 MINIMUM GOLD IN SELECT AREA OVER 0.00191/.000075 MINIMUM TIN IN SELECT AREA OVER NICKEL OVERALL.
50 GOLD - 0.00127/.000050 MINIMUM GOLD IN SELECT AREA OVER 0.00254/.000100 MINIMUM TIN IN SELECT AREA OVER NICKEL OVERALL.
* THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLIANT TO RoHS DIRECTIVE 2002/95/EC AND ELV ANNEX II OF DIRECTIVE 2000/53/EC". CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH LEAD.
 - PART TO CONFORM TO PS-71308.
 - PACKAGING (SEE CHARTS):

- BULK: PER PK-70873-0353
TUBES: PER PK-70873-0041.
71308-82** IN TUBES: PER PK-70873-042.
TUBES W/ VAC CAPS: PER PK-70873-0691
TAPE AND REEL W/ VAC CAPS: PER PK-70873-0805.
SEE SHEET 3 FOR TAPE & REEL PRODUCT WITH SHALLOW POCKET REQUIREMENTS.
- TYP. DIMENSIONS FOR LANDS SURROUNDING HOLES FOR RETENTION PEGS.
 - PIN SOLERABILITY PER MOLEX SPEC. ES-152.
 - SEE SHEETS 2-5 FOR CHARTED DIMS., PART/EDP NO'S, AND VOIDED CIRCUITS.
 - PIN PUSHOUT FORCE: 3 LBS. MINIMUM.
 - PICK-N-PLACE CAPS WILL BE PLACED SO THAT VACUUM PICK UP AREA WILL BE IN CENTER OF PART.
 - COPLANARITY FOR CIRCUIT SIZES UP TO 40 IS 0.15 MM/.006 INCH. FOR CIRCUIT SIZES 42 AND LARGER, CONTACT MOLEX SALES DEPARTMENT.
 - THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

REV	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
			mm	INCH	MM/IN	DATE			
K3	12CKT TAPE & REEL EC NO: UCP2009-2465 DRWN:KIPPER 2009/08/04 CHKD:SSOUSEK 2009/08/07 APPR:FSMITH 2009/08/10	=0 =0	4 PLACES	± ---	± ---	KMS	1999/10/15	INCH	SALES ASSY INSULATOR DUAL ROW SMT W/BREAK-OFF .025SQ PIN GULLWING .100
			3 PLACES	± ---	± .005	CHECKED BY	DATE		
			2 PLACES	± 0.13	± .010	KMS	1999/10/15		
			1 PLACE	± 0.25	± ---	APPROVED BY	DATE		
			ANGULAR ± 1/2°		MATERIAL NO.				
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLES				
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		DOCUMENT NO.				

MOLEX MOLEX INCORPORATED
SD-71308-001
SHEET NO. 1 OF 6

13	12	11	10	9	8	7	6	5	4	3	2	1	
PACKAGING SEE NOTE 4 SHT 1		4-6 CKT	BULK	TAPE-N-REEL W/ VAC CAPS	N/A	BULK	TAPE-N-REEL W/ VAC CAPS	N/A	BULK	TAPE-N-REEL W/ VAC CAPS	N/A	BULK	BULK
		8-100 CKT	TUBES	TAPE-N-REEL W/ VAC CAPS	TUBES W/ VAC CAPS	TUBES	TAPE-N-REEL W/ VAC CAPS	TUBES W/ VAC CAPS	TUBES	TAPE-N-REEL W/ VAC CAPS	TUBES W/ VAC CAPS	TUBES	TUBES
DIM. M±0.25 MM		6.10 (.240)			6.10 (.240)			6.10 (.240)			8.13 (.320)		8.13 (.320)
PLATING		150 TIN			15 GOLD			30 GOLD			15 GOLD		30 GOLD
DIM. H		2.54 (.100)			2.54 (.100)			2.54 (.100)			4.57 (.180)		4.57 (.180)
DIM. J		5.08 (.200)			5.08 (.200)			5.08 (.200)			7.11 (.280)		7.11 (.280)

CKTS	DIM. A		DIM. B		EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	CKTS	
	MM	IN	MM	IN												
04	5.08	.200	2.54	.100	015-91-2040	015-91-6040	N/A	015-91-0040	015-91-6042	N/A	015-91-3040	015-91-6043	N/A	015-91-0048	015-91-5049	04
06	7.62	.300	5.08	.200	015-91-2060	015-91-6060	N/A	015-91-0060	015-91-6062	N/A	015-91-3060	015-91-6063	N/A	015-91-0068	015-91-5069	06
08	10.16	.400	7.62	.300	015-91-2080	015-91-6080	015-91-3087	015-91-0080	015-91-6082	015-91-3086	015-91-3080	015-91-6083	015-91-3088	015-91-0088	015-91-5089	08
10	12.70	.500	10.16	.400	015-91-2100	015-91-6100	015-91-3107	015-91-0100	015-91-6102	015-91-3106	015-91-3100	015-91-6103	015-91-3108	015-91-0108	015-91-5109	10
12	15.24	.600	12.70	.500	015-91-2120	015-91-6120	015-91-3127	015-91-0120	015-91-6122	015-91-3126	015-91-3120	015-91-6123	015-91-3128	015-91-0128	015-91-5129	12
14	17.78	.700	15.24	.600	015-91-2140	015-91-6140	015-91-3147	015-91-0140	015-91-6142	015-91-3146	015-91-3140	015-91-6143	015-91-3148	015-91-0148	015-91-5149	14
16	20.32	.800	17.78	.700	015-91-2160	015-91-6160	015-91-3167	015-91-0160	015-91-6162	015-91-3166	015-91-3160	015-91-6163	015-91-3168	015-91-0168	015-91-5169	16
18	22.86	.900	20.32	.800	015-91-2180		015-91-3187	015-91-0180		015-91-3186	015-91-3180		015-91-3188	015-91-0188	015-91-5189	18
20	25.40	1.000	22.86	.900	015-91-2200	015-91-6200	015-91-3207	015-91-0200	015-91-6202	015-91-3206	015-91-3200	015-91-6203	015-91-3208	015-91-0208	015-91-5209	20
22	27.94	1.100	25.40	1.000	015-91-2220		015-91-3227	015-91-0220		015-91-3226	015-91-3220		015-91-3228	015-91-0228	015-91-5229	22
24	30.48	1.200	27.94	1.100	015-91-2240		015-91-3247	015-91-0240		015-91-3246	015-91-3240		015-91-3248	015-91-0248	015-91-5249	24
26	33.02	1.300	30.48	1.200	015-91-2260	015-91-6260	015-91-3267	015-91-0260	015-91-6262	015-91-3266	015-91-3260		015-91-3268	015-91-0268	015-91-5269	26
28	35.56	1.400	33.02	1.300	015-91-2280		015-91-3287	015-91-0280		015-91-3286	015-91-3280		015-91-3288	015-91-0288	015-91-5289	28
30	38.10	1.500	35.56	1.400	015-91-2300		015-91-3307	015-91-0300		015-91-3306	015-91-3300		015-91-3308	015-91-0308	015-91-5309	30
32	40.64	1.600	38.10	1.500	015-91-2320		015-91-3327	015-91-0320		015-91-3326	015-91-3320		015-91-3328	015-91-0328	015-91-5329	32
34	43.18	1.700	40.64	1.600	015-91-2340		015-91-3347	015-91-0340		015-91-3346	015-91-3340		015-91-3348	015-91-0348	015-91-5349	34
36	45.72	1.800	43.18	1.700	015-91-2360		015-91-3367	015-91-0360		015-91-3366	015-91-3360		015-91-3368	015-91-0368	015-91-5369	36
38	48.26	1.900	45.72	1.800	015-91-2380		015-91-3387	015-91-0380		015-91-3386	015-91-3380		015-91-3388	015-91-0388	015-91-5389	38
40	50.80	2.000	48.26	1.900	015-91-2400	015-91-6400	015-91-3407	015-91-0400	015-91-6402	015-91-3406	015-91-3400	015-91-6403	015-91-3408	015-91-0408	015-91-5409	40
42	53.34	2.100	50.80	2.000	015-91-2420		015-91-3427	015-91-0420		015-91-3426	015-91-3420		015-91-3428	015-91-0428	015-91-5429	42
44	55.88	2.200	53.34	2.100	015-91-2440		015-91-3447	015-91-0440		015-91-3446	015-91-3440		015-91-3448	015-91-0448	015-91-5449	44
46	58.42	2.300	55.88	2.200	015-91-2460		015-91-3467	015-91-0460		015-91-3466	015-91-3460		015-91-3468	015-91-0468	015-91-5469	46
48	60.96	2.400	58.42	2.300	015-91-2480		015-91-3487	015-91-0480		015-91-3486	015-91-3480		015-91-3488	015-91-0488	015-91-5489	48
50	63.50	2.500	60.96	2.400	015-91-2500	015-91-6500	015-91-3507	015-91-0500	015-91-6502	015-91-3506	015-91-3500	015-91-6503	015-91-3508	015-91-0508	015-91-5509	50
52	66.04	2.600	63.50	2.500	015-91-2520		015-91-3527	015-91-0520		015-91-3526	015-91-3520		015-91-3528	015-91-0528	015-91-5529	52
54	68.58	2.700	66.04	2.600	015-91-2540		015-91-3547	015-91-0540		015-91-3546	015-91-3540		015-91-3548	015-91-0548	015-91-5549	54
56	71.12	2.800	68.58	2.700	015-91-2560		015-91-3567	015-91-0560		015-91-3566	015-91-3560		015-91-3568	015-91-0568	015-91-5569	56
58	73.66	2.900	71.12	2.800	015-91-2580		015-91-3587	015-91-0580		015-91-3586	015-91-3580		015-91-3588	015-91-0588	015-91-5589	58
60	76.20	3.000	73.66	2.900	015-91-2600		015-91-3607	015-91-0600		015-91-3606	015-91-3600		015-91-3608	015-91-0608	015-91-5609	60
62	78.74	3.100	76.20	3.000	015-91-2620		015-91-3627	015-91-0620		015-91-3626	015-91-3620		015-91-3628	015-91-0628	015-91-5629	62
64	81.28	3.200	78.74	3.100	015-91-2640		015-91-3647	015-91-0640		015-91-3646	015-91-3640		015-91-3648	015-91-0648	015-91-5649	64
66	83.82	3.300	81.28	3.200	015-91-2660		015-91-3667	015-91-0660		015-91-3666	015-91-3660		015-91-3668	015-91-0668	015-91-5669	66
68	86.36	3.400	83.82	3.300	015-91-2680		015-91-3687	015-91-0680		015-91-3686	015-91-3680		015-91-3688	015-91-0688	015-91-5689	68
70	88.90	3.500	86.36	3.400	015-91-2700		015-91-3707	015-91-0700		015-91-3706	015-91-3700		015-91-3708	015-91-0708	015-91-5709	70
72	91.44	3.600	88.90	3.500	015-91-2720		015-91-3727	015-91-0720		015-91-3726	015-91-3720		015-91-3728	015-91-0728	015-91-5729	72
74	93.98	3.700	91.44	3.600	015-91-2740		015-91-3747	015-91-0740		015-91-3746	015-91-3740		015-91-3748	015-91-0748	015-91-5749	74
76	96.52	3.800	93.98	3.700	015-91-2760		015-91-3767	015-91-0760		015-91-3766	015-91-3760		015-91-3768	015-91-0768	015-91-5769	76
78	99.06	3.900	96.52	3.800	015-91-2780		015-91-3787	015-91-0780		015-91-3786	015-91-3780		015-91-3788	015-91-0788	015-91-5789	78
80	101.60	4.000	99.06	3.900	015-91-2800		015-91-3807	015-91-0800		015-91-3806	015-91-3800		015-91-3808	015-91-0808	015-91-5809	80
82	104.14	4.100	101.60	4.000	71308-0082		71308-0482	71308-0182		71308-0582	71308-0282		71308-0682	71308-1182	71308-1282	82
84	106.68	4.200	104.14	4.100	71308-0084		71308-0484	71308-0184		71308-0584	71308-0284		71308-0684	71308-1184	71308-1284	84
86	109.22	4.300	106.68	4.200	71308-0086		71308-0486	71308-0186		71308-0586	71308-0286		71308-0686	71308-1186	71308-1286	86
88	111.76	4.400	109.22	4.300	71308-0088		71308-0488	71308-0188		71308-0588	71308-0288		71308-0688	71308-1188	71308-1288	88
90	114.30	4.500	111.76	4.400	71308-0090		71308-0490	71308-0190		71308-0590	71308-0290		71308-0690	71308-1190	71308-1290	90
92	116.84	4.600	114.30	4.500	71308-0092		71308-0492	71308-0192		71308-0592	71308-0292		71308-0692	71308-1192	71308-1292	92
94	119.38	4.700	116.84	4.600	71308-0094		71308-0494	71308-0194		71308-0594	71308-0294		71308-0694	71308-1194	71308-1294	94
96	121.92	4.800	119.38	4.700	71308-0096		71308-0496	71308-0196		71308-0596	71308-0296		71308-0696	71308-1196	71308-1296	96
98	124.46	4.900	121.92	4.800	71308-0098		71308-0498	71308-0198		71308-0598	71308-0298		71308-0698	71308-1198	71308-1298	98
100	127.00	5.000	124.46	4.900	71308-0101		71308-0500	71308-0200		71308-0600	71308-0300		71308-0700	71308-1200	71308-1300	100

B	NO PEG VERSION (SEE ALSO SHEET 3)	SEE SHEET 1 EC NO: UCP2009-2465 DRWIN/KIPER CHKD:SSOUSEK APPR:FSMITH 2009/08/04 2009/08/07 2009/08/10	QUALITY SYMBOLS ◻=0 ◻=0	GENERAL TOLERANCES (UNLESS SPECIFIED) 4 PLACES ± --- ± --- 3 PLACES ± --- ± .005 2 PLACES ± 0.13 ± .010 1 PLACE ± 0.25 ± --- ANGULAR ± 1/2°	DIMENSION STYLE MM/IN DRAWN BY DATE KMS 1999/10/15 CHECKED BY DATE KMS 1999/10/15 APPROVED BY DATE KMS 1999/10/15	SCALE DESIGN UNITS INCH THIRD ANGLE PROJECTION	TITLE SALES ASSY INSULATOR DUAL ROW SMT W/BREAK-OFF .025SQ PIN GULLWING .100	MOLEX INCORPORATED	MATERIAL NO. SEE TABLE	DOCUMENT NO. SD-71308-001	SHEET NO. 2 OF 6

IN TAPE AND REEL WITH SHALLOW POCKET TAPE										BULK / IN TUBES		
PACKAGING SEE NOTE 4, SHT 1		4-8 CKT	TAPE-N-REEL W/ VAC CAPS	TAPE-N-REEL W/ VAC CAPS						BULK	BULK	
		10-100 CKT	TAPE-N-REEL W/ VAC CAPS	TAPE-N-REEL W/ VAC CAPS						TUBES	TUBES	
DIM. M ±0.25 MM			6.10 (.240)	6.10 (.240)						8.13 (.320)	13.59 (.535)	
PLATING			30 GOLD	15 GOLD						150 TIN	150 TIN	
DIM. H			2.54 (.100)	2.54 (.100)						4.57 (.180)	4.57 (.180)	
DIM. J			5.08 (.200)	5.08 (.200)						7.11 (.280)	7.11 (.280)	
CKTS	DIM. A		DIM. B		EDP NUMBER	EDP NUMBER				EDP NUMBER	EDP NUMBER	CKTS
	MM	IN	MM	IN								
04	5.08	.200	2.54	.100								04
06	7.62	.300	5.08	.200		015-91-6068						06
08	10.16	.400	7.62	.300		015-91-6088						08
10	12.70	.500	10.16	.400		015-91-6108				713088010	71308-8210	10
12	15.24	.600	12.70	.500								12
14	17.78	.700	15.24	.600	015-91-6148							14
16	20.32	.800	17.78	.700						713088016		16
18	22.86	.900	20.32	.800								18
20	25.40	1.000	22.86	.900								20
22	27.94	1.100	25.40	1.000								22
24	30.48	1.200	27.94	1.100								24
26	33.02	1.300	30.48	1.200								26
28	35.56	1.400	33.02	1.300								28
30	38.10	1.500	35.56	1.400								30
32	40.64	1.600	38.10	1.500								32
34	43.18	1.700	40.64	1.600								34
36	45.72	1.800	43.18	1.700								36
38	48.26	1.900	45.72	1.800								38
40	50.80	2.000	48.26	1.900								40
42	53.34	2.100	50.80	2.000								42
44	55.88	2.200	53.34	2.100								44
46	58.42	2.300	55.88	2.200								46
48	60.96	2.400	58.42	2.300								48
50	63.50	2.500	60.96	2.400								50
52	66.04	2.600	63.50	2.500								52
54	68.58	2.700	66.04	2.600								54
56	71.12	2.800	68.58	2.700								56
58	73.66	2.900	71.12	2.800								58
60	76.20	3.000	73.66	2.900								60
62	78.74	3.100	76.20	3.000								62
64	81.28	3.200	78.74	3.100								64
66	83.82	3.300	81.28	3.200								66
68	86.36	3.400	83.82	3.300								68
70	88.90	3.500	86.36	3.400								70
72	91.44	3.600	88.90	3.500								72
74	93.98	3.700	91.44	3.600								74
76	96.52	3.800	93.98	3.700								76
78	99.06	3.900	96.52	3.800								78
80	101.60	4.000	99.06	3.900								80
82	104.14	4.100	101.60	4.000								82
84	106.68	4.200	104.14	4.100								84
86	109.22	4.300	106.68	4.200								86
88	111.76	4.400	109.22	4.300								88
90	114.30	4.500	111.76	4.400								90
92	116.84	4.600	114.30	4.500								92
94	119.38	4.700	116.84	4.600								94
96	121.92	4.800	119.38	4.700								96
98	124.46	4.900	121.92	4.800								98
100	127.00	5.000	124.46	4.900								100

NO PEG VERSION
(ALSO SEE SHEET 2)

SEE SHEET 1 EC NO: UCP2009-2465 DRW:KIPPER 2009/08/04 CHK:SSOUSEK 2009/08/07 APPR:FSMITH 2009/08/10	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
		mm	INCH	MM/IN		INCH	INCH		
		4 PLACES ± ---	± ---	DRAWN BY	DATE	TITLE			
		3 PLACES ± ---	± .005	KMS	1999/10/15	SALES ASSY INSULATOR DUAL ROW SMT W/BREAK-OFF .025SQ PIN GULLWING .100			
2 PLACES ± 0.13	± .010	CHECKED BY	DATE	MOLEX INCORPORATED					
1 PLACE ± 0.25	± ---	KMS	1999/10/15	MATERIAL NO.		DOCUMENT NO.			
ANGULAR ± 1/2°		APPROVED BY		DATE		SD-71308-001			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		KMS		1999/10/15		3 OF 6			
SIZE		SEE TABLE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

13			12			11			10			9			8			7			6			5			4			3			2			1		
J			PACKAGING SEE NOTE 4 SHT 1						4-8 CKT		BULK		TAPE-N-REEL W/ VAC CAPS		BULK		TAPE-N-REEL W/ VAC CAPS		BULK		TAPE-N-REEL W/ VAC CAPS		BULK		BULK		BULK											
									10-100 CKT		TUBES		TAPE-N-REEL W/ VAC CAPS		TUBES		TAPE-N-REEL W/ VAC CAPS		TUBES		TAPE-N-REEL W/ VAC CAPS		TUBES		TUBES													
									DIM. M±0.25 MM						6.10 (.240)		6.10 (.240)		6.10 (.240)		8.13 (.320)		8.13 (.320)		8.13 (.320)													
									PLATING						150 TIN		15 GOLD		30 GOLD		150 TIN		15 GOLD		30 GOLD													
DIM. H						2.54 (.100)		2.54 (.100)		2.54 (.100)		4.57 (.180)		4.57 (.180)		4.57 (.180)																						
DIM. J						5.08 (.200)		5.08 (.200)		5.08 (.200)		7.11 (.280)		7.11 (.280)		7.11 (.280)																						
CKTS		DIM. A		DIM. B		DIM. C		EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		CKTS										
		MM IN		MM IN		MM IN																																
04		5.08 .200		2.54 .100		---- ----		015-91-1041 015-91-6044		015-91-1042 015-91-6045		015-91-1043 015-91-6046		015-91-1044 015-91-0047		015-91-1040		04																				
06		7.62 .300		5.08 .200		2.54 .100		015-91-1061 015-91-6064		015-91-1062 015-91-6065		015-91-1063 015-91-6066		015-91-1064 015-91-0067		015-91-1060		06																				
08		10.16 .400		7.62 .300		5.08 .200		015-91-1081 015-91-6084		015-91-1082 015-91-6085		015-91-1083 015-91-6086		015-91-1084 015-91-0087		015-91-1080		08																				
10		12.70 .500		10.16 .400		7.62 .300		015-91-1101 015-91-6104		015-91-1102 015-91-6105		015-91-1103 015-91-6106		015-91-1104 015-91-0107		015-91-1100		10																				
12		15.24 .600		12.70 .500		10.16 .400		015-91-1121 015-91-6144		015-91-1122 015-91-6145		015-91-1123 015-91-6146		015-91-1124 015-91-0127		015-91-1120		12																				
14		17.78 .700		15.24 .600		12.70 .500		015-91-1141 015-91-6164		015-91-1142 015-91-6165		015-91-1143 015-91-6166		015-91-1144 015-91-0147		015-91-1140		14																				
16		20.32 .800		17.78 .700		15.24 .600		015-91-1161 015-91-6184		015-91-1162 015-91-6185		015-91-1163 015-91-6186		015-91-1164 015-91-0167		015-91-1160		16																				
18		22.86 .900		20.32 .800		17.78 .700		015-91-1181 015-91-6204		015-91-1182 015-91-6205		015-91-1183 015-91-6206		015-91-1184 015-91-0187		015-91-1180		18																				
20		25.40 1.000		22.86 .900		20.32 .800		015-91-1201 015-91-6244		015-91-1202 015-91-6245		015-91-1203 015-91-6246		015-91-1204 015-91-0207		015-91-1200		20																				
22		27.94 1.100		25.40 1.000		22.86 .900		015-91-1221 015-91-6284		015-91-1222 015-91-6285		015-91-1223 015-91-6286		015-91-1224 015-91-0227		015-91-1220		22																				
24		30.48 1.200		27.94 1.100		25.40 1.000		015-91-1241 015-91-6324		015-91-1242 015-91-6325		015-91-1243 015-91-6326		015-91-1244 015-91-0247		015-91-1240		24																				
26		33.02 1.300		30.48 1.200		27.94 1.100		015-91-1261 015-91-6364		015-91-1262 015-91-6365		015-91-1263 015-91-6366		015-91-1264 015-91-0267		015-91-1260		26																				
28		35.56 1.400		33.02 1.300		30.48 1.200		015-91-1281 015-91-6404		015-91-1282 015-91-6405		015-91-1283 015-91-6406		015-91-1284 015-91-0287		015-91-1280		28																				
30		38.10 1.500		35.56 1.400		33.02 1.300		015-91-1301 015-91-6444		015-91-1302 015-91-6445		015-91-1303 015-91-6446		015-91-1304 015-91-0307		015-91-1300		30																				
32		40.64 1.600		38.10 1.500		35.56 1.400		015-91-1321 015-91-6484		015-91-1322 015-91-6485		015-91-1323 015-91-6486		015-91-1324 015-91-0327		015-91-1320		32																				
34		43.18 1.700		40.64 1.600		38.10 1.500		015-91-1341 015-91-6524		015-91-1342 015-91-6525		015-91-1343 015-91-6526		015-91-1344 015-91-0347		015-91-1340		34																				
36		45.72 1.800		43.18 1.700		40.64 1.600		015-91-1361 015-91-6564		015-91-1362 015-91-6565		015-91-1363 015-91-6566		015-91-1364 015-91-0367		015-91-1360		36																				
38		48.26 1.900		45.72 1.800		43.18 1.700		015-91-1381 015-91-6604		015-91-1382 015-91-6605		015-91-1383 015-91-6606		015-91-1384 015-91-0387		015-91-1380		38																				
40		50.80 2.000		48.26 1.900		45.72 1.800		015-91-1401 015-91-6644		015-91-1402 015-91-6645		015-91-1403 015-91-6646		015-91-1404 015-91-0407		015-91-1400		40																				
42		53.34 2.100		50.80 2.000		48.26 1.900		015-91-1421 015-91-6684		015-91-1422 015-91-6685		015-91-1423 015-91-6686		015-91-1424 015-91-0427		015-91-1420		42																				
44		55.88 2.200		53.34 2.100		50.80 2.000		015-91-1441 015-91-6724		015-91-1442 015-91-6725		015-91-1443 015-91-6726		015-91-1444 015-91-0447		015-91-1440		44																				
46		58.42 2.300		55.88 2.200		53.34 2.100		015-91-1461 015-91-6764		015-91-1462 015-91-6765		015-91-1463 015-91-6766		015-91-1464 015-91-0467		015-91-1460		46																				
48		60.96 2.400		58.42 2.300		55.88 2.200		015-91-1481 015-91-6804		015-91-1482 015-91-6805		015-91-1483 015-91-6806		015-91-1484 015-91-0487		015-91-1480		48																				
50		63.50 2.500		60.96 2.400		58.42 2.300		015-91-1501 015-91-6844		015-91-1502 015-91-6845		015-91-1503 015-91-6846		015-91-1504 015-91-0507		015-91-1500		50																				
52		66.04 2.600		63.50 2.500		60.96 2.400		015-91-1521 015-91-6884		015-91-1522 015-91-6885		015-91-1523 71308-5203		015-91-1524 015-91-0527		015-91-1520		52																				
54		68.58 2.700		66.04 2.600		63.50 2.500		015-91-1541 015-91-6924		015-91-1542 015-91-6925		015-91-1543 015-91-6926		015-91-1544 015-91-0547		015-91-1540		54																				
56		71.12 2.800		68.58 2.700		66.04 2.600		015-91-1561 015-91-6964		015-91-1562 015-91-6965		015-91-1563 015-91-6966		015-91-1564 015-91-0567		015-91-1560		56																				
58		73.66 2.900		71.12 2.800		68.58 2.700		015-91-1581 015-91-7004		015-91-1582 015-91-7005		015-91-1583 015-91-7006		015-91-1584 015-91-0587		015-91-1580		58																				
60		76.20 3.000		73.66 2.900		71.12 2.800		015-91-1601 015-91-7044		015-91-1602 015-91-7045		015-91-1603 015-91-7046		015-91-1604 015-91-0607		015-91-1600		60																				
62		78.74 3.100		76.20 3.000		73.66 2.900		015-91-1621 015-91-7084		015-91-1622 015-91-7085		015-91-1623 015-91-7086		015-91-1624 015-91-0627		015-91-1620		62																				
64		81.28 3.200		78.74 3.100		76.20 3.000		015-91-1641 015-91-7124		015-91-1642 015-91-7125		015-91-1643 015-91-7126		015-91-1644 015-91-0647		015-91-1640		64																				
66		83.82 3.300		81.28 3.200		78.74 3.100		015-91-1661 015-91-7164		015-91-1662 015-91-7165		015-91-1663 015-91-7166		015-91-1664 015-91-0667		015-91-1660		66																				
68		86.36 3.400		83.82 3.300		81.28 3.200		015-91-1681 015-91-7204		015-91-1682 015-91-7205		015-91-1683 015-91-7206		015-91-1684 015-91-0687		015-91-1680		68																				
70		88.90 3.500		86.36 3.400		83.82 3.300		015-91-1701 015-91-7244		015-91-1702 015-91-7245		015-91-1703 015-91-7246		015-91-1704 015-91-0707		015-91-1700		70																				
72		91.44 3.600		88.90 3.500		86.36 3.400		015-91-1721 015-91-7284		015-91-1722 015-91-7285		015-91-1723 015-91-7286		015-91-1724 015-91-0727		015-91-1720		72																				
74		93.98 3.700		91.44 3.600		88.90 3.500		015-91-1741 015-91-7324		015-91-1742 015-91-7325		015-91-1743 015-91-7326		015-91-1744 015-91-0747		015-91-1740		74																				
76		96.52 3.800		93.98 3.700		91.44 3.600		015-91-1761 015-91-7364		015-91-1762 015-91-7365		015-91-1763 015-91-7366		015-91-1764 015-91-0767		015-91-1760		76																				
78		99.06 3.900		96.52 3.800		93.98 3.700		015-91-1781 015-91-7404		015-91-1782 015-91-7405		015-91-1783 015-91-7406		015-91-1784 015-91-0787		015-91-1780		78																				
80		101.60 4.000		99.06 3.900		96.52 3.800		015-91-1801 015-91-7444		015-91-1802 015-91-7445		015-91-1803 015-91-7446		015-91-1804 015-91-0807		015-91-1800		80																				
82		104.14 4.100		101.60 4.000		99.06 3.900		71308-4082		71308-4182		71308-4282		71308-5082		71308-5182		71308-5282		82																		
84		106.68 4.200		104.14 4.100		101.60 4.000		71308-4084		71308-4184		71308-4284		71308-5084		71308-5184		71308-5284		84																		
86		109.22 4.300		106.68 4.200		104.14 4.100		71308-4086		71308-4186		71308-4286		71308-5086		71308-5186		71308-5286		86																		
88		111.76 4.400		109.22 4.300		106.68 4.200		71308-4088		71308-4188		71308-4288		71308-5088		71308-5188		71308-5288		88																		
90		114.30 4.500		111.76 4.400		109.22 4.300		71308-4090		71308-4190		71308-4290		71308-5090		71308-5190		71308-5290		90																		
92		116.84 4.600		114.30 4.500		111.76 4.400		71308-4092		71308-4192		71308-4292		71308-5092		71308-5192		71308-5292		92																		
94		119.38 4.700		116.84 4.600		114.30 4.500		71308-4094		71308-4194		71308-4294		71308-5094		71308-5194		71308-5294		94																		
96		121.92 4.800		119.38 4.700		116.84 4.600		71308-4096		71308-4196		71308-4296		71308-5096		71308-5196		71308-5296		96																		
98		124.46 4.900		121.92 4.800		119.38 4.700		71308-4098		71308-4198		71308-4298		71308-5098		71308-5198		71308-5298		98																		
100		127.00 5.000																																				

13	12	11	10	9	8	6	5	4	3	2	1
		PACKAGING SEE NOTE 4 SHT 1	4-8 CKT	BULK	TAPE-N-REEL W/ VAC CAPS	BULK	TAPE-N-REEL W/ VAC CAPS				
			10-100 CKT	TUBES	TAPE-N-REEL W/ VAC CAPS	TUBES	TAPE-N-REEL W/ VAC CAPS				
		DIM. M±0.25 MM		6.10 (.240)		6.10 (.240)					
		PLATING		30 GOLD		150 TIN					
		DIM. H		2.54 (.100)		2.54 (.100)					
		DIM. J		5.08 (.200)		5.08 (.200)					

CKTS	DIM. A		DIM. B		DIM. C		EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	CKTS
	MM	IN	MM	IN	MM	IN										
04	5.08	.200	2.54	.100	----	----	015-91-1048	015-91-6047								04
06	7.62	.300	5.08	.200	2.54	.100	015-91-1068	015-91-6067	71308-6106	71308-6206						06
08	10.16	.400	7.62	.300	5.08	.200	015-91-1088	015-91-6087	71308-6108	71308-6208						08
10	12.70	.500	10.16	.400	7.62	.300	015-91-1108	015-91-6107	71308-6110	71308-6210						10
12	15.24	.600	12.70	.500	10.16	.400	015-91-1128									12
14	17.78	.700	15.24	.600	12.70	.500	015-91-1148	015-91-6147								14
16	20.32	.800	17.78	.700	15.24	.600	015-91-1168	015-91-6167								16
18	22.86	.900	20.32	.800	17.78	.700	015-91-1188									18
20	25.40	1.000	22.86	.900	20.32	.800	015-91-1208	015-91-6207								20
22	27.94	1.100	25.40	1.000	22.86	.900	015-91-1228									22
24	30.48	1.200	27.94	1.100	25.40	1.000	015-91-1248									24
26	33.02	1.300	30.48	1.200	27.94	1.100	015-91-1268		71308-6126							26
28	35.56	1.400	33.02	1.300	30.48	1.200	015-91-1288									28
30	38.10	1.500	35.56	1.400	33.02	1.300	015-91-1308									30
32	40.64	1.600	38.10	1.500	35.56	1.400	015-91-1328									32
34	43.18	1.700	40.64	1.600	38.10	1.500	015-91-1348									34
36	45.72	1.800	43.18	1.700	40.64	1.600	015-91-1368									36
38	48.26	1.900	45.72	1.800	43.18	1.700	015-91-1388									38
40	50.80	2.000	48.26	1.900	45.72	1.800	015-91-1408	015-91-6407								40
42	53.34	2.100	50.80	2.000	48.26	1.900	015-91-1428									42
44	55.88	2.200	53.34	2.100	50.80	2.000	015-91-1448									44
46	58.42	2.300	55.88	2.200	53.34	2.100	015-91-1468									46
48	60.96	2.400	58.42	2.300	55.88	2.200	015-91-1488									48
50	63.50	2.500	60.96	2.400	58.42	2.300	015-91-1508	015-91-6507								50
52	66.04	2.600	63.50	2.500	60.96	2.400	015-91-1528									52
54	68.58	2.700	66.04	2.600	63.50	2.500	015-91-1548									54
56	71.12	2.800	68.58	2.700	66.04	2.600	015-91-1568									56
58	73.66	2.900	71.12	2.800	68.58	2.700	015-91-1588									58
60	76.20	3.000	73.66	2.900	71.12	2.800	015-91-1608									60
62	78.74	3.100	76.20	3.000	73.66	2.900	015-91-1628									62
64	81.28	3.200	78.74	3.100	76.20	3.000	015-91-1648									64
66	83.82	3.300	81.28	3.200	78.74	3.100	015-91-1668									66
68	86.36	3.400	83.82	3.300	81.28	3.200	015-91-1688									68
70	88.90	3.500	86.36	3.400	83.82	3.300	015-91-1708									70
72	91.44	3.600	88.90	3.500	86.36	3.400	015-91-1728									72
74	93.98	3.700	91.44	3.600	88.90	3.500	015-91-1748									74
76	96.52	3.800	93.98	3.700	91.44	3.600	015-91-1768									76
78	99.06	3.900	96.52	3.800	93.98	3.700	015-91-1788									78
80	101.60	4.000	99.06	3.900	96.52	3.800	015-91-1808									80
82	104.14	4.100	101.60	4.000	99.06	3.900	71308-6082									82
84	106.68	4.200	104.14	4.100	101.60	4.000	71308-6084									84
86	109.22	4.300	106.68	4.200	104.14	4.100	71308-6086									86
88	111.76	4.400	109.22	4.300	106.68	4.200	71308-6088									88
90	114.30	4.500	111.76	4.400	109.22	4.300	71308-6090									90
92	116.84	4.600	114.30	4.500	111.76	4.400	71308-6092									92
94	119.38	4.700	116.84	4.600	114.30	4.500	71308-6094									94
96	121.92	4.800	119.38	4.700	116.84	4.600	71308-6096									96
98	124.46	4.900	121.92	4.800	119.38	4.700	71308-6098									98
100	127.00	5.000	124.46	4.900	121.92	4.800	71308-6100									100

SHORT PEG VERSION (.055")

SEE SHEET 1 EC NO: UCP2009-2465 DRW:MKIPPER 2009/08/04 CHKD:SSOUSEK 2009/08/07 APPR:FSMITH 2009/08/10 K3	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
				MM/IN				
				mm INCH	DRAWN BY	DATE	TITLE	
				4 PLACES ± --- ± ---	KMS	1999/10/15	SALES ASSY INSULATOR DUAL ROW SMT W/BREAK-OFF .025SQ PIN GULLWING .100	
		3 PLACES ± --- ± .005	CHECKED BY	DATE	MOLEX INCORPORATED			
		2 PLACES ± 0.13 ± .010	KMS	1999/10/15				
		1 PLACE ± 0.25 ± ---	APPROVED BY	DATE				
		ANGULAR ±1/2°	KMS	1999/10/15				
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO.	DOCUMENT NO.	SHEET NO.			
			SEE TABLE	SD-71308-001	5 OF 6			
			SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

PEG OPTION

						NO PEG VERSION						NO PEG VERSION			LONG PEG VERSION (.130")			SHORT PEG VERSION (.055")			
PACKAGING SEE NOTE 4, SHT 1			4-6 CKT			BULK	TAPE-N-REEL W/VAC CAPS	N/A	4-8 CKT			TAPE-N-REEL W/VAC CAPS	BULK	BULK	BULK	TAPE-N-REEL W/VAC CAPS	BULK	BULK	BULK	TAPE-N-REEL W/ VAC CAPS	
			8-100 CKT			TUBES	TAPE-N-REEL W/VAC CAPS	TUBES W/ VAC CAPS	10-100 CKT			TAPE-N-REEL W/VAC CAPS	TUBES	TUBES	TUBES	TAPE-N-REEL W/VAC CAPS	TUBES	TUBES	TUBES	BULK	TAPE-N-REEL W/ VAC CAPS

DIM. M=0.25 MM						6.10 (.240)						8.13(.320)			13.59(.535)			6.10(.240)			8.13(.320)			6.10 (.240)		
PLATING						59 TIN						59 TIN			59 TIN			59 TIN			59 TIN			59 TIN		
DIM. H						2.54(.100)						4.57(.180)			4.57(.180)			2.54(.100)			4.57(.180)			2.54(.100)		
DIM. J						5.08(.200)						7.11(.280)			7.11(.280)			5.08(.200)			7.11(.280)			5.08(.200)		

CKTS	DIM. A		DIM. B		DIM. C		EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	CKTS	
	MM	IN	MM	IN	MM	IN														
04	5.08	.200	2.54	.100	---	---	71308-5404	71308-5504	N/A											04
06	7.62	.300	5.08	.200	2.54	.100	71308-5406	71308-5506	N/A											06
08	10.16	.400	7.62	.300	5.08	.200	71308-5408	71308-5508	71308-5608											08
10	12.70	.500	10.16	.400	7.62	.300	71308-5410	71308-5510	71308-5610			71308-5810	71308-5910							10
12	15.24	.600	12.70	.500	10.16	.400	71308-5412	71308-5512	71308-5612											12
14	17.78	.700	15.24	.600	12.70	.500	71308-5414	71308-5514	71308-5614											14
16	20.32	.800	17.78	.700	15.24	.600	71308-5416	71308-5516	71308-5616			71308-5816								16
18	22.86	.900	20.32	.800	17.78	.700	71308-5418		71308-5618											18
20	25.40	1.000	22.86	.900	20.32	.800	71308-5420	71308-5520												20
22	27.94	1.100	25.40	1.000	22.86	.900	71308-5422		71308-5622											22
24	30.48	1.200	27.94	1.100	25.40	1.000	71308-5424		71308-5624			71308-5724	71308-5824							24
26	33.02	1.300	30.48	1.200	27.94	1.100	71308-5426		71308-5626											26
28	35.56	1.400	33.02	1.300	30.48	1.200	71308-5428		71308-5628											28
30	38.10	1.500	35.56	1.400	33.02	1.300	71308-5430		71308-5630											30
32	40.64	1.600	38.10	1.500	35.56	1.400	71308-5432		71308-5632											32
34	43.18	1.700	40.64	1.600	38.10	1.500	71308-5434		71308-5634											34
36	45.72	1.800	43.18	1.700	40.64	1.600	71308-5436		71308-5636											36
38	48.26	1.900	45.72	1.800	43.18	1.700	71308-5438		71308-5638											38
40	50.80	2.000	48.26	1.900	45.72	1.800	71308-5440	71308-5540	71308-5640											40
42	53.34	2.100	50.80	2.000	48.26	1.900	71308-5442		71308-5642											42
44	55.88	2.200	53.34	2.100	50.80	2.000	71308-5444		71308-5644											44
46	58.42	2.300	55.88	2.200	53.34	2.100	71308-5446		71308-5646											46
48	60.96	2.400	58.42	2.300	55.88	2.200	71308-5448		71308-5648											48
50	63.50	2.500	60.96	2.400	58.42	2.300	71308-5450	71308-5550	71308-5650											50
52	66.04	2.600	63.50	2.500	60.96	2.400	71308-5452		71308-5652											52
54	68.58	2.700	66.04	2.600	63.50	2.500	71308-5454		71308-5654											54
56	71.12	2.800	68.58	2.700	66.04	2.600	71308-5456		71308-5656											56
58	73.66	2.900	71.12	2.800	68.58	2.700	71308-5458		71308-5658											58
60	76.20	3.000	73.66	2.900	71.12	2.800	71308-5460		71308-5660											60
62	78.74	3.100	76.20	3.000	73.66	2.900	71308-5462		71308-5662											62
64	81.28	3.200	78.74	3.100	76.20	3.000	71308-5464		71308-5664											64
66	83.82	3.300	81.28	3.200	78.74	3.100	71308-5466		71308-5666											66
68	86.36	3.400	83.82	3.300	81.28	3.200	71308-5468		71308-5668											68
70	88.90	3.500	86.36	3.400	83.82	3.300	71308-5470		71308-5670											70
72	91.44	3.600	88.90	3.500	86.36	3.400	71308-5472		71308-5672											72
74	93.98	3.700	91.44	3.600	88.90	3.500	71308-5474		71308-5674											74
76	96.52	3.800	93.98	3.700	91.44	3.600	71308-5476		71308-5676											76
78	99.06	3.900	96.52	3.800	93.98	3.700	71308-5478		71308-5678											78
80	101.60	4.000	99.06	3.900	96.52	3.800	71308-5480		71308-5680											80
82	104.14	4.100	101.60	4.000	99.06	3.900	71308-5482		71308-5682											82
84	106.68	4.200	104.14	4.100	101.60	4.000	71308-5484		71308-5684											84
86	109.22	4.300	106.68	4.200	104.14	4.100	71308-5486		71308-5686											86
88	111.76	4.400	109.22	4.300	106.68	4.200	71308-5488		71308-5688											88
90	114.30	4.500	111.76	4.400	109.22	4.300	71308-5490		71308-5690											90
92	116.84	4.600	114.30	4.500	111.76	4.400	71308-5492		71308-5692											92
94	119.38	4.700	116.84	4.600	114.30	4.500	71308-5494		71308-5694											94
96	121.92	4.800	119.38	4.700	116.84	4.600	71308-5496		71308-5696											96
98	124.46	4.900	121.92	4.800	119.38	4.700	71308-5498		71308-5698											98
100	127.00	5.000	124.46	4.900	121.92	4.800	71308-5500		71308-5700											100

59 TIN PLATE ASSEMBLIES

SEE SHEET 1 EC NO: UCP2009-2465 DRAWN: KIPPER 2009/08/04 CHKD: SSOUSEK 2009/08/07 APPR: FSM LTH 2009/08/10	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE MM/IN	SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	
		4 PLACES ± --- ± --- 3 PLACES ± --- ± .005 2 PLACES ± 0.13 ± .010 1 PLACE ± 0.25 ± ---	DRAWN BY KMS	DATE 1999/10/15	TITLE SALES ASSY INSULATOR DUAL ROW SMT W/BREAK-OFF .025SQ PIN GULLWING .100		
		ANGULAR ±1/2°	CHECKED BY KMS	DATE 1999/10/15	APPROVED BY KMS	DATE 1999/10/15	MOLEX INCORPORATED
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO. SEE TABLE	DOCUMENT NO. SD-71308-001	SHEET NO. 6 OF 6	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	