

INTRODUCTION

The Stealth Hi-Fi Video Sender uses the latest wire-free technology to send stereo audio and TV video pictures around your home. Watch your favourite videos or listen to hi-fi quality stereo sound in any part of your home without the need to run extension cables.

The system can also be used for monitoring applications. Connect the transmitter to a security camera and watch your baby sleeping, keep an eye on the children playing in the garden, or simply see who is calling at front door.

Connect the transmitter to the source, satellite, VCR or audio system and then connect the receiver to the television or audio equipment at your chosen receiving location.

Sit back and enjoy!

The Hi-Fi Video Sender can send signals from any of the following sources:

APPLICATIONS				
Wideo Recorder	Satellite Receiver			
Cable Television	Laser Disc Player			
Digital Video Disc	Camcorder			
Security Camera	Computer			
Compact Disc Player	Stereo Receiver			
Hi-Fi System	Cassette deck			


"Choose from two versions the VS-100 and the VS-200"

The Stealth video sender system utilizes the Super high Frequency Band (SHF) and transmits video and stereo audio to the host receiver in another room of your house. Supplied as a pair the transmitter section is designed to be connected to a CCTV Camera, VCR, satellite receiver and for audio applications it can be connected to a Hi-Fi radio. Connections include Scart, Phono Video, Phono Audio left and an optional modulator allows you to connect the received signal to a UHF aerial network.

The VS-200 also features an infrared transmitter designed to receive radio signals from the transmitter unit mounted in say a bedroom allowing you to change channels on your VCR whilst watching the resultant pictures on your bedroom television.

Other applications include CCTV monitoring where a legal wireless video link is required between 2 monitors or televisions up to 200 meters (open space) and can be used for example with the AEI Security CTV-220, or with the CTV-380-P CCTV camera system


VS-200 Typical application:-




"The maximum range (free air space) between the receiver and the Transmitter unit is 100 meters. The operable range should be halved for each brick wall that the signal has to pass through."

Pack A - The VS-100 use this combination to transmit video and audio signals from one location of your house to the other. The image below shows a CCTV camera unit looking towards the driveway connected to the transmitter unit and the receiver

unit connected to a standard television in your lounge via the TVs scart connector.



Pack B - The VS-200 uses an additional transmitter system which not only transmits video and audio signals from a VCR, Satellite receiver or cable box but will also allow you to control the satellite system with the satellite remote control. This means you can for example, lay in bed watching satellite TV received in your bedroom from downstairs and also change channel on the satellite - simply take the satellite remote control to bed with you and point the satellite remote control at the stealth receiver in your bedroom... and like magic - the Satellite receiver downstairs will change channel. The image below shows a VCR unit connected to the Stealth transmitter unit in a lounge and the receiver unit connected to a standard television via the TVs scart connector in bedroom.



Part Number Listing:

Part No.	Description	Retail	Pack Contents
VS-100	Hi-Fi Video Sender System	- 11	1 x Transmitter Unit 1x Receiver Unit 2 x Power Supplies 1 x Scart to Scart Lead 1 x Scart to Phono Lead

VS-10	Optional Receiver only unit	£59.99	1x Receiver Unit 1 x Power Supplies 1 x Scart to Phono Lead
VS-200	Hi-Fi Video Sender System (with Remote control relay function)	£129.99	1 x Transmitter Unit 1x Receiver Unit 2 x Power Supplies 1 x Scart to Scart Lead 1 x Scart to Phono Lead
VS-20	Optional Receiver only unit (with built-in remote relay transmitter)	£69.99	1x Receiver Unit 1 x Power Supplies 1 x Scart to Phono Lead

Approvals:- Adaptor BS1363/BS415/EN60950. BZT Approval Certificate ETS-300-220 & 300-339, DTI MPT1349 & MPT1349.

If you would like to place an order, obtain details on your nearest retailer or are interested in distribution status on any of our products then please use our <u>feedback form</u> to contact us today.

For export inquiries please use our special Export feedback form

Please note - this page has been computer translated.