




Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.



mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY		Electronics FCI	
ltr	ecn no	dr	date					projection	title	product family	code
A	V50574	LP	3/15/95	linear	.X $\pm .3$				R/A GANG JACK FILTER ASSY	MOD JACK	
B	V51276	LSS	10/18/95		.XX $\pm .13$				8 POS SHIELDED SNAP PEG		
C	V60981	LSS	7/24/96	angles	.XXX $\pm .051$						
D	V61300	EPK	9/23/96	dr	0' $\pm 2'$						
E	V61440	MDF	10/17/96	enr		L.POTTIEGER	3/15/95	MM			
F	V91501	CGC	8/9/99	chr		Y.BELOPOLSKY	3/15/95	scale			
				appd		Y.BELOPOLSKY	3/15/95	1:1	A4	95672	sheet 1 of 7
sheet index	revision	F	F	F	F	F	F				
	sheet	1	2	3	4	5	6				

cage code 22526

ACAD

PDM: Rev:F

STATUS: Released

Printed: Aug 17, 2002

FCI

A

B

1 2

3

4

PRODUCT No.	PORTS No	DIM A ± 0.60 -0.00	DIM B	DIM C ± 0.10	DIM D ± 0.15	GROUND LEG NUMBER ON THE BACK (VIEW B) SEE DIAGRAM ON SHT. 3
95672-X01	1	15.74	-	5.715	11.43	
95672-X01A	1	15.74	-	5.715	11.43	
95672-X02 -YZ	2	30.98	13.97	12.700	25.40	
95672-X03 -YZ	3	44.95	27.94	19.685	39.37	
95672-X04 -YZ	4	58.92	41.91	26.670	53.34	
95672-X05 -YZ	5	72.89	55.88	33.655	67.31	
95672-X06 -YZ	6	86.86	69.85	40.640	81.28	
95672-X07 -YZ	7	100.83	83.82	47.625	95.25	
95672-X08 -YZ	8	114.80	97.79	54.610	109.22	
95672-X09 -YZ	9	128.77	111.76	61.595	123.19	
95672-X10 -YZ	10	142.74	125.73	68.580	137.16	
95672-X11 -YZ	11	156.71	139.70	75.565	151.13	
95672-X12 -YZ	12	170.68	153.67	82.550	165.10	

NOTE 5
NOTE 5



NOTES:

1. RECOMMENDED P.C.B THICKNESS 1.60 MM
2. HOUSING MAT'L: HIGH TEMP RESIN
3. CONTACTS: PHOS BRONZE ALLOY UNS-C51000, $\emptyset$ 0.460 ROUND WIRE, PLATING SEE TABLE.
4. SHIELDING MATERIAL: BRASS ALLOY .25 MM THICK SHIELDING PLATING: NICKEL UNDERPLATE 40u" MIN FINISH OF BRIGHT TIN 100u" MIN
- ⑤ SEE SNGL. PORT GROUND LEG OPTIONS, SIDE VIEW PG.1 FOR DETAILS.
6. ALL DIMENSIONS IN MINIMETERS.

PLATING CODE X	PLATING
0	30u" G.X.T.
1	15u" GOLD.
3	30u" GOLD.
5	50u" GOLD.

FRONT SHIELD CODE Y
0 = STANDARD GRND. TABS
1 = NO GRND. TABS

REAR SHIELD CODE Z
0 = STANDARD GRND. LEGS
1 = 1 STANDARD GRND. LEG
2 = ALL GRND. LEGS
3 = NO GRND. LEGS

mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY		 Electronics FCI www.fciconnect.com	
ltr	ecn no	dr	date	linear	.X $\pm$.3			projection	title		
F					.XX $\pm$.13				R/A GANG JACK FILTER ASSY		
				angles	.XXX $\pm$.051				8 POS SHIELDED SNAP PEG		
					0' $\pm$ 2'			 MM scale 1:1	product family	MOD JACK	code
				dr	L.POTTEIGER	3/15/95	size		dwg no	-	
				enr	Y.BELOPOLSKY	3/15/95	A4		95672	sheet	
				chr	Y.BELOPOLSKY	3/15/95				2 of	
				appd	Y.BELOPOLSKY	3/15/95					
sheet index	revision sheet										

cage code
22526

ACAD

PDM: Rev:F

STATUS: Released

Printed: Aug 17, 2002

1 2

3

4


A

B




REAR SHIELD (VIEWED FROM PLUG ENTRY SIDE) GROUND SOLDERTAIL CONFIGURATION

CODE "Z" = 0




PCB LAYOUT SHEET 4

CODE "Z" = 1




PCB LAYOUT SHEET 5

CODE "Z" = 2



PCB LAYOUT SHEET 6






CODE "Z" = 3



PCB LAYOUT SHEET 7

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY		Electronics FCI www.fciconnect.com	
ltr	ecn no	dr	date	linear	angles	projection	title	product family	code
F				.X±.3	.XX±.13		R/A GANG JACK FILTER ASSY	MOD JACK	—
				.XXX±.051	0° ±2°		8 POS. SHIELDED SNAP PEG	size	sheet
				dr	G.CLEMENS	6/30/99		dwg no	3 of
				enrg	B.BRUBAKER	6/30/99			
				chr	B.BRUBAKER	6/30/99			
				appd	B.BRUBAKER	6/30/99			
sheet index	revision sheet					scale			
						1/4			



cage code
22526



RECOMMENDED P.C.B LAYOUT CODE "Z"=Ø (STANDARD GROUND LEGS)

mat'l. code				tolerances unless otherwise specified			CUSTOMER COPY		 Electronics FCI www.fciconnect.com		
ltr	ecn no	dr	date	linear	.X±.3		projection 	title R/A GANG JACK FILTER ASSY 8 POS SHIELDED SNAP PEG			
F					.XX±.13						
					.XXX±.051						
				angles	0° ±2°						
				dr	L.POTTEIGER	3/15/95		product family		MOD JACK	code
				enrg	Y.BELOPOLSKY	3/15/95		size	dwg no	—	
				chr	Y.BELOPOLSKY	3/15/95		95672		sheet	
				appd	Y.BELOPOLSKY	3/15/95	scale 1:1	A4			4 of
sheet index		revision sheet									

cage code
22526



2-PORT

(SAME AS STANDARD CODE "Z"=0)

RECOMMENDED P.C.B LAYOUT



CODE "Z" = 2 (ALL GROUND LEGS)

mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY		 FCI www.fciconnect.com			
litr	ecn no	dr	date	linear	.X±.3			projection 	title R/A CAT 5 GANG JACK ASSY 8 POS SHIELDED SNAP PEG				
F			.XX±.13										
			.XXX±.051										
				angles	0° ±2°								
				dr	G.CLEMENS	6/30/99	MM ←————→		product family		MOD	code	
				enqr	B.BRUBAKER	6/30/99			size dwg no		—		
				chr	B.BRUBAKER	6/30/99	scale 1:1		A4		95672		sheet
				appd	B.BRUBAKER	6/30/99							6 of
sheet index		revision sheet											




A


B



FOR 1-PORT, -X01A
SAME AS STD CODE "Z"=0



2-PORT



FOR 1-PORT, -X01
SAME AS STD CODE "Z"=0

RECOMMENDED P.C.B LAYOUT

CODE "Z" = 3 (NO GROUND LEGS)

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY		Electronics FCI		www.fciconnect.com	
ltr	ecn no	dr	date	linear	angles	projection	title	product family	MOD JACK	code	
F				.X±.3	.XX±.13	MM	R/A CAT 5 GANG JACK ASSY	size	dwg no	sheet	
				.XXX±.051	0° ±2°	1:1	8 POS SHIELDED SNAP PEG	A4	95672	7 of 7	
				dr	G.CLEMENS	6/30/99					
				enrg	B.BRUBAKER	6/30/99					
				chr	B.BRUBAKER	6/30/99					
				appd	B.BRUBAKER	6/30/99					
sheet index	revision sheet										

cage code
22526

ACAD

PDM: Rev:F

STATUS: Released

Printed: Aug 17, 2002