

This document was generated on 03/26/2012

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

**Part Number:** 11-40-2002 Status: **Active** Terminator Die **Description:** 

**Documents:** 

RoHS Certificate of Compliance (PDF)

General

**Product Family Application Tooling** 

T1801 Series **Function** Crimp Geographic Area Global

Level of Automation Semi-Automatic

More Detailed Tech Information applicationtooling@molex.com

**Product Name** 

Survey www.molex.com//review/apptool\_survey.html

Terminator Die

**Material Info** 

Tool Type


Old Part Number T8300B

**Reference - Drawing Numbers** 

**Application Tooling Documents** ATS-011402002, TM-638000029, TM-638000029CN,

> TM-638000029DE, TM-638000029FR, TM-638000029IT, TM-638000029JP, TM-638000029KR, TM-638000029MY, TM-638000029PL, TM-638000029RU, TM-638000029SK, TM-638000029SP. TM-638000029TH, TM-638000029TW,

TM-638000029VN, TM-638500090, TM-638500090SP



**EU RoHS** 

**China RoHS** 

**Compliance Status Not Reviewed REACH SVHC Not Reviewed Low-Halogen Status** 

**Not Reviewed** 

Need more information on product environmental compliance?

Email productcompliance@molex.com For a multiple part number RoHS Certificate of Compliance, click here

Please visit the Contact Us section for any non-product compliance questions.

Search Parts in this Series

T1801Series

**Use With** 

Molex TM-42™ press 0690025001 and base unit 0011193001 for the 3BF press

Application Tooling | FAQ **Description** 

Product #

2.36mm Diameter, 0039000283

Standard .093" Pin and Socket

Crimp Terminal,

Series 1380, Male,

with Tin (Sn) over

Copper Plated Brass

Contact, 18-24 AWG,

Reel

2.36mm Diameter, 0039000284

Standard .093" Pin and Socket Crimp

Terminal, Series

1381, Female,

with Tin (Sn) over

Copper Plated Brass

Contact, 18-24 AWG, Reel 2.36mm Diameter, 0039000285 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Tin (Sn) over **Copper Plated Brass** Contact, 18-24 AWG, Reel, with Dimple 2.36mm Diameter, 0002091117 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 0002091122 Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Reel 2.36mm Diameter, 0002092116 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 0002095130 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 0002095143 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Gold (Au) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 0002096122 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Gold (Au) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 0002096125 Standard .093" Pin and Socket Crimp Terminal, Series

1380, Male, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG,

This document was generated on 03/26/2012

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION