




| |
|----------------|
| PRODUCT NUMBER |
| 89008-XYX |
| 89008-XYXLF |




| | | | | | | | | | | | | | | | | | | | |
|------------|-----------|-----|------------|---------------------------------------|------------|----------|-------|----------|------------|---|--------|---------------------------|------------------------|---------|------|----|----|----|---|
| mat'l code | | | | tolerances unless otherwise specified | | | | CUSTOMER | | | | FCJ www.fciconnect.com | | | | | | | |
| ltr | ecn no. | dr | date | linear | 0.X ±0.3 | | | | COPY | | | | title | | | | | | |
| T | V06-0573 | DCH | 2006-06-14 | | 0.XX ±0.13 | | | | projection | | | | METRAL SIGNAL HEADER | | | | | | |
| U | DG09-0256 | TER | 2009-08-19 | | .XXX ±.051 | | | | | | | | 4 MOD, 5 ROW PRESS-FIT | | | | | | |
| - | - | - | - | angles | 0° ±2° | | | | | | | | product family | | | | | | |
| N | V03-1321 | DAI | 01/15/04 | dr | T.BRUNGARD | 11/19/99 | MM | | | | METRAL | | | | code | | | | |
| P | V04-0459 | LP | 5/25/04 | enr | M.STRAWSER | 11/19/99 | ← | | | | size | dwg no | | | 213 | | | | |
| R | V04-1100 | DAI | 01/26/05 | chr | M.STRAWSER | 11/19/99 | → | | | | 89008 | | | sheet | | | | | |
| S | V05-0667 | TAB | 07/15/05 | appd | M.STRAWSER | 02/29/00 | scale | | | | A | | | 1 of 14 | | | | | |
| sheet | | | | revision | U | U | U | U | U | U | U | U | U | U | U | U | U | U | U |
| index | | | | sheet | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | |

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE
SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION

| KEY | | |
|------|--------------|--------------|
| CODE | DIMENSIONS | |
| | DIM "A" MATE | DIM "B" TAIL |
| 1 | 5.00 | 4.30 |
| 2 | 5.75 | 4.30 |
| 3 | 6.50 | 4.30 |
| 4 | 7.25 | 4.30 |
| 5 | 5.00 | 13.60 |
| 6 | 5.75 | 13.60 |
| 7 | 6.50 | 13.60 |
| 8 | 7.25 | 13.60 |
| 9 | 5.00 | 17.00 |
| 10 | 5.75 | 17.00 |
| 11 | 6.50 | 17.00 |
| 12 | 7.25 | 17.00 |
| 13 | 8.25 | 4.30 |
| 14 | 8.25 | 13.60 |
| 15 | 8.25 | 17.00 |
| 16 | 7.00 | 4.30 |
| 17 | 7.00 | 13.60 |
| 18 | 7.00 | 17.00 |
| 19 | 8.00 | 4.30 |
| 20 | 8.00 | 13.60 |
| 21 | 8.00 | 17.00 |

| | | | | | | | | | | |
|-------------|----------------|----|------|---------------------------------------|------------|------------------|--|---|--|-------------------------|
| mat'l code | | | | tolerances unless otherwise specified | | CUSTOMER | | www.fcjconnect.com | | |
| ltr | ecm no. | dr | date | linear | 0.X ±0.3 | COPY | | title METRAL SIGNAL HEADER 4 MOD, 5 ROW PRESS-FIT | product family METRAL code 213 | |
| U | | | | | 0.XX ±0.13 | projection | | | | size dwg no 89008 |
| | | | | | .XXX ±.051 | scale 1:1 | | | | |
| | | | | angles | 0° ±2° | | | | | |
| | | | | dr | T.BRUNGARD | 11/19/99 | | | | |
| | | | | engr | M.STRAWSER | 11/19/99 | | | | |
| | | | | chr | M.STRAWSER | 11/19/99 | | | | |
| | | | | appd | M.STRAWSER | 02/29/00 | | | | |
| sheet index | revision sheet | | | | | | | | | |

cage code 22526

1 2

| METRAL P/N | ROW | CONTACT CODE MOD. 1 | | | | | MOD. 2 | | | | | MOD. 3 | | | | | MOD. 4 | | | | | | | |
|------------|-----|---------------------|---|---|---|---|--------|---|---|---|---|--------|----|----|----|----|--------|----|----|----|----|----|----|----|
| | | E | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |

| METRAL P/N | ROW | CONTACT CODE MOD. 1 | | | | | MOD. 2 | | | | | MOD. 3 | | | | | MOD. 4 | | | | | | | |
|------------|-----|---------------------|---|---|---|---|--------|---|---|---|---|--------|---|---|---|---|--------|---|---|---|---|---|---|---|
| | | E | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |

| METRAL P/N | ROW | CONTACT CODE MOD. 1 | | | | | MOD. 2 | | | | | MOD. 3 | | | | | MOD. 4 | | | | | | | |
|------------|-----|---------------------|---|---|---|---|--------|---|---|---|---|--------|---|---|---|---|--------|---|---|---|---|---|---|---|
| | | E | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |

| METRAL P/N | ROW | CONTACT CODE MOD. 1 | | | | | MOD. 2 | | | | | MOD. 3 | | | | | MOD. 4 | | | | | | | |
|------------|-----|---------------------|----|----|----|----|--------|----|----|----|----|--------|----|----|----|----|--------|----|----|----|----|----|----|----|
| | | E | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 |

3

| METRAL P/N | ROW | CONTACT CODE MOD. 1 | | | | | MOD. 2 | | | | | MOD. 3 | | | | | MOD. 4 | | | | | | |
|------------|-----|---------------------|---|---|---|---|--------|---|---|---|---|--------|---|---|---|---|--------|---|---|---|---|---|---|
| | | E | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |

| METRAL P/N | ROW | CONTACT CODE MOD. 1 | | | | | MOD. 2 | | | | | MOD. 3 | | | | | MOD. 4 | | | | | | |
|------------|-----|---------------------|----|----|----|----|--------|----|----|----|----|--------|----|----|----|----|--------|----|----|----|----|----|----|
| | | E | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 |

| METRAL P/N | ROW | CONTACT CODE MOD. 1 | | | | | MOD. 2 | | | | | MOD. 3 | | | | | MOD. 4 | | | | | | |
|------------|-----|---------------------|---|---|---|---|--------|---|---|---|---|--------|---|---|---|---|--------|---|---|---|---|---|---|
| | | E | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |

| METRAL P/N | ROW | CONTACT CODE MOD. 1 | | | | | MOD. 2 | | | | | MOD. 3 | | | | | MOD. 4 | | | | | | |
|------------|-----|---------------------|---|---|---|---|--------|---|---|---|---|--------|---|---|---|---|--------|---|---|---|---|---|---|
| | | E | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |

A



A



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.

B

B

| | | | | | | | | | | | | | | | | | |
|-------------|----------------|----|------|---------------------------------------|------------|----------|--|----------|---|--------|--|--|--|-------|--|------|--|
| mat'l code | -- | | | tolerances unless otherwise specified | | | | CUSTOMER | | | |  www.fcjconnect.com | | | | | |
| ltr | ecn no. | dr | date | linear | 0.X ±0.3 | | | | COPY | | | | title | | | | |
| U | | | | | 0.XX ±0.13 | | | | projection | | | | METRAL SIGNAL HEADER 4 MOD, 5 ROW PRESS-FIT | | | | |
| | | | | angles | .XXX ±.051 | | | |  | | | | product family | | | | |
| | | | | dr | 0° ±2° | | | | MM | | | | METRAL | | | | |
| | | | | enrg | T.BRUNGARD | 11/19/99 | | | | ← MM → | | | | size | | code | |
| | | | | chr | M.STRAWSER | 11/19/99 | | | | A | | 89008 | | 213 | | | |
| | | | | appd | M.STRAWSER | 02/29/00 | | | | 1:1 | | 10 | | | | | |
| sheet index | revision sheet | | | | | | | | | | | cage code | | 22526 | | | |

1 2

Pro/E

3

cage code 22526

4

| |
|----------------|
| PRODUCT NUMBER |
| 89008-XYX |
| 89008-XYLFF |

NOTES:

- FOR DIM A AND B SEE SHEET 2 AND UP.
- BODY MATERIAL: LIQUID CRYSTAL
POLYMER 30 % GLASS.
FLAME RETARDANT ACC. UL 94-V0.
- PIN MATERIAL:
PHOSPHOR BRONZE.
- PLATING ON PRESS-FIT TAIL:
73931-XYX IS SnPb
73931-XYLFF IS SN (LEAD FREE)
PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE BELOW.
- PRODUCT MARKING:
PART NUMBER DESIGNATION & BATCH I.D.

- (10) FOR LEAD FREE PART NUMBERS, ADD AN "LF" SUFFIX.
EXAMPLE: 89008-X0ILFF
- (11) -AYX PLATING HAS Au FLASH IN PRESS-FIT AREA (LEAD FREE).

- ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES. IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER. EXAMPLE: XXXXX-XXXP
- PRODUCT SPECIFICATION GS-12-180
APPLICATION SPECIFICATION BUS-20-073

- (8) AFTER INSERTION INTO CIRCUIT BOARD WITH QUALIFIED TOOL.
- (9) THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING (DRAWING NO.)-N1--- OR (DRAWING NO.)-N5---WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-N1--- AND (DRAWINGS NO.)-N5---WILL NOT WITHSTAND REFLOW AND Au CONTACT SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140°C FOR NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

| PLATING IN CONTACT AREA | | |
|-------------------------|-----------------------------------|-------------|
| DASH NUMBER | PERFORMANCE LEVEL | NOTES |
| -AYX | TELCORDIA CO | SEE NOTE 11 |
| -N1YX | TELCORDIA CO (NXT) | - |
| -N5YX | TELCORDIA UE (NXT) | - |
| -1YX | TELCORDIA CO | - |
| -2YX | TELECOM CLASS | - |
| -3YX | IEC CLASS I | - |
| -5YX | TELCORDIA UE | - |
| -N1YXLF | TELCORDIA CO (NXT) IEC CLASS I | SEE NOTE 9 |
| -N5YXLF | TELCORDIA UE (NXT) | SEE NOTE 9 |
| -1YXLF | TELCORDIA CO IEC CLASS I | SEE NOTE 9 |
| -2YXLF | TELECOM CLASS | SEE NOTE 9 |
| -5YXLF | TELCORDIA UE | SEE NOTE 9 |

| | | | | | | | | | | | |
|-------------|----------------|----|------|--------|------------|---------------------------------------|--|----------------------|--|------------------------|--|
| mat'l code | | | | -- | | tolerances unless otherwise specified | | CUSTOMER | | FCJ | |
| ltr | ecr no. | dr | date | linear | 0.X ±0.3 | COPY | | www.fcjconnect.com | | title | |
| U | | | | angles | 0.XX ±0.13 | projection | | METRAL SIGNAL HEADER | | 4 MOD, 5 ROW PRESS-FIT | |
| | | | | dr | .XXX ±.051 | MM | | product family | | METRAL | |
| | | | | enr | 0° ±2° | scale | | size | | 213 | |
| | | | | chr | | 1:1 | | dwg no | | sheet | |
| | | | | appd | | | | A | | 14 | |
| | | | | | | | | 89008 | | | |
| sheet index | revision sheet | | | | | | | | | | |



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.

A

B

A

B