

Tous droits strictement réservés. Reproduction ou communication à des tiers sans autorisation écrite du propriétaire.
Droits de reproduction BERG ELECTRONICS bv

FCI

All rights strictly reserved. Reproduction or issue to third parties in any form without written authority from the proprietor.
Copyright BERG ELECTRONICS bv







FIGURE 1




SEC.Y-Y

FIGURE 2



SEC.Y-Y


FIGURE 3



SEC.Y-Y

PRODUCT NO.

61519-0200 61519-0200LF



SEC.Y-Y

PRODUCT NO.

61519-0215 61519-0215LF

DIM"X"	4.25±0.1	3.5±0.1	5.0±0.1
PIN NO.	OTHERS	36,67	1,17,34 35,51,68

mat'l code				tolerance unless otherwise specified		CUSTOMER COPY		A FCI www.fciconnect.com	
rev.	ecn no.	dr	date	linear	±0.30	projection	title	product family	code
A	T60147	W L	06/14/96						
B	T60324	W L	08/10/96						
C	T70279	W L	07/09/97	angles	± 2°	scale	size	dwg no.	sheet
D	T03-0472	W L	10/27/03	dr	WENDY CHEN				
E	T04-0273	W L	06/28/04	enr	JOSEPH HSIA				
F	T04-0316	W L	07/12/04	chr	JOSEPH HSIA	1.5:1	A3	61519	1 OF 3
G	N05-0087	W B	03/23/05	appd	JENN TSAO				
sheet	revision	G	G	G					
index	sheet	1	2	3					

Tous droits strictement réservés. Reproduction ou communication à des tiers sans autorisation écrite du propriétaire.
Droits de reproduction BERG ELECTRONICS bv

FCI

All rights strictly reserved. Reproduction or issue to third parties in any form without written authority from the proprietor.
Copyright BERG ELECTRONICS bv






FIGURE 4



SEC.Y-Y

FIGURE 5



SEC.Y-Y

PRODUCT NO.

61519-5522	61519-5522LF
61519-5040	61519-5040LF
61519-5043	61519-5043LF
61519-5543	61519-5543LF
61519-5050	61519-5050LF
61519-5622	61519-5622LF

PRODUCT NO.

61519-5022	61519-5022LF
61519-5122	61519-5122LF

DIM"X"	4.25±0.1	3.5±0.1	5.0±0.1
PIN NO.	OTHERS	36,67	1,17,34 35,51,68

mat'l code				tolerance unless otherwise specified		CUSTOMER COPY		 www.fciconnect.com	
rev.	ecn	no.	dr	date	linear	±0.30	projection		
G					angles	± 2°		title 68POS. EJECTOR HEADER HEADER ASS'Y(CARDBUS)	
					dr	WENDY CHEN 06/12/97	unit	product family	code
					enr	JOSEPH HSIA 06/12/97	mm/inch	size	dwg no.
					chr	JOSEPH HSIA 06/12/97	scale	A3	61519
					appd	JENN TSAO 06/12/97	1.5:1		sheet 2 OF
sheet	revision								
index	sheet								

Tous droits strictement reserves. Reproduction ou communication a des tiers int sans autorisation écrite du propriétaire.
All rights strictly reserved. Reproduction or issue to third parties in any for whatever is not permitted without written authority from the proprietor.
FCI
Droits de reproduction BERG ELECTRONICS bv
Copyright BERG ELECTRONICS bv

Tous droits strictement reserves. Reproduction ou communication a des tiers int sans autorisation écrite du propriétaire.
All rights strictly reserved. Reproduction or issue to third parties in any for whatever is not permitted without written authority from the proprietor.
FCI
Droits de reproduction BERG ELECTRONICS bv
Copyright BERG ELECTRONICS bv

PRODUCT NO.	STYLE	DIM.L	DIM.K	DIM.M
61519-0000/0000LF	FIGURE 1	0	-1.2	5.5
61519-0500/0500LF	FIGURE 2	0	4.6	12.35
61519-0006/0006LF	FIGURE 1	0.6	-0.6	5.5
61519-0506/0506LF	FIGURE 2	0	5.2	12.35
61519-0020/0020LF		2.0	0.8	1.0
61519-0520/0520LF		0	6.6	7.85
61519-0022/0022LF		2.2	1.0	1.0
61519-0522/0522LF		0	6.8	7.85
61519-0040/0040LF		4.0	2.8	-0.3
61519-0540/0540LF		0	8.6	6.55
61519-0043/0043LF		4.3	3.1	-0.3
61519-0543/0543LF		0	8.9	6.55
61519-0050/0050LF		5.0	3.8	-0.3
61519-0550/0550LF		0	9.6	6.55
61519-0140/0140LF		0	2.8	-0.3
61519-0640/0640LF		0	8.6	6.7
61519-0200/0200LF	FIGURE 3	0	-1.4	2.8
61519-0700/0700LF	FIGURE 2	0	4.4	9.8
61519-0215/0215LF	FIGURE 3	1.5	0.1	2.8
61519-0715/0715LF	FIGURE 2	0	5.9	9.8
61519-5022/5022LF	FIGURE 5	2.2	0.81	5.5
61519-5122/5122LF		2.2	0.81	5.5
61519-5522/5522LF	FIGURE 4	0	6.6	12.35
61519-5622/5622LF		0	6.6	12.35
61519-5043/5043LF		4.3	2.94	-0.3
61519-5543/5543LF		0	8.7	6.55
61519-5050/5050LF		5.0	3.6	-0.3
61519-5550/5550LF		0	9.2	6.55

- NOTES:
- 1 MATERIAL:
- PLASTIC HOUSING: LCP UL94V-O BLACK
PIN: PHOSPHOR BRONZE
PCB: FR4
- 2 FINISH
PIN(TIN LEAD OPTION):
UNDER PLATING: 0.5um MIN. Ni
CONTACT AREA: 0.1um MIN. GOLD OVER
0.5um MIN. Pd-Ni
SOLDER TAIL: 2.5um MIN. Sn-Pb
PIN (LEAD FREE OPTION):
UNDER PLATING: 1.27um MIN. Ni
CONTACT AREA: 0.1um MIN. GOLD OVER
0.5um MIN. Pd-Ni
SOLDER TAIL: 2.5um MIN. PURE Tin.
GROUND SHIELD :
UNDER PLATING: 0.75um MIN. Ni
CONTACT SURFACE: 0.03um GOLD MIN. OVER
PdNi 0.5um MIN.(GOLD FLASH DOUBLE SIDES)
OR, 0.38um GOLD(ONE SIDE ONLY)
- 3 IF LEAD FREE P.N.THE HOUSING WILL WITHSTAND
EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10
SECONDS IN A WAVE SOLDER APPLICATION WITH
A 1.00MM MINIMUM THICK CIRCUIT BOARD.
- 4 IF LEAD FREE P/N.THE PRODUCT MEETS EUROPEAN
UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS
AS DISCRIBLED IN GS-22-008
- 5 LEAD FREE P/N PACKAGING MEETS GS-14-920 SPECIFICATION

mat'l code		tolerance unless otherwise specified		CUSTOMER COPY		 www.fciconnect.com	
rev.	ecn no.	dr	date	linear	±0.30	projection	title
G							68POS. EJECTOR HEADER HEADER ASS'Y(CARDBUS)
				angles	± 2°		
		dr	WENDY CHEN 06/14/96	unit	mm/inch	product family	PCMCIA
		enr	JOSEPH HSIA 06/14/96	size	dwg no.		code
		chr	JOSEPH HSIA 06/14/96	scale	1.5:1	A3	61519
		appd	JENN TSAO 06/14/96				sheet 3 OF
sheet	revision						
index	sheet						