

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION AUG ,2006.










© COPYRIGHT — BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC
DW

DIST
—

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			




SCALE 4:1

M2.2X6 PT30

2 RECOMMENDED SCREW



NOTE:

- SCREW LOCATION AS APPLICABLE PER CUSTOMER.
- RECOMMENDED SCREW :
M2.2 X 6, PT 30 OR EQUIVALENT SCREW FOR THERMOPLASTIC.
- TORQUE SCREWS TO 38-48 OZF-IN.




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. HOU 11MAR2008	Tyco Electronics Corporation Taipei, Taiwan		
DIMENSIONS: MM		CHK W. KODAMA 11MAR2008			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD W. KODAMA 11MAR2008	NAME		
0 PLC ± — 1 PLC ± 0.15 2 PLC ± 0.1 3 PLC ± 0.05 4 PLC ± — ANGLES ± —		PRODUCT SPEC 108-57083	0.8mm PITCH FAX MODEM SOCKET, 124 POSITIONS.		
MATERIAL SEE NOTE		QUALIFICATION TEST REPORT 501-57035	SIZE A3	CAGE CODE 00779	DRAWING NO C-440360
FINISH SEE NOTE		WEIGHT 5.75 GRAMS	RESTRICTED TO —		
CUSTOMER DRAWING			SCALE —	SHEET 2 OF 6	REV M

LOC	DIST	REVISIONS				
DW	—	P	LTR	DESCRIPTION	DATE	APVD
				SEE SHEET 1		



CIRCUIT POSITION OF S.O.DIMM




RECOMMENDED P.D. BOARD PATTERN LAYOUT
(CONNECTOR MOUNTING SIDE)

HOW TO MATE AND UNMATE




MATE: ① ~ ④
UNMATE: ⑤ ~ ⑦

NOTE:
① THE HOLES ARE ONLY FOR P/N : 1-0440360-X.



EJECT HEIGHT

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. HOU 11MAR2008	Tyco Electronics Corporation Taipei, Taiwan			
DIMENSIONS: MM		CHK W. KODAMA 11MAR2008				
		APVD W. KODAMA 11MAR2008	NAME			
		PRODUCT SPEC	0.8mm PITCH FAX MODEM SOCKET, 124 POSITIONS.			
		QUALIFICATION TEST REPORT	SIZE CAGE CODE DRAWING NO RESTRICTED TO			
		WEIGHT	A3 00779 C-440360			
MATERIAL		CUSTOMER DRAWING	SCALE SHEET 3 OF 6 REV M			

AMP 1470-19 REV 31MAR2000

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG , 2006.

© COPYRIGHT — BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC

	DIST
--	------

REVISIONS

DW

	F
--	---

LTR




DESCRIPTION

DATE _____


DWN	
-----	--


PVD

SEE SHEET 1



	VARIATIONS ALL DIMENSIONS IN mm					
	NORMAL HEIGHT 44.45			NORMAL HEIGHT 50.80		
	AA			BA		
SOYMBOL	MIN	NOM	MAX	MIN	NOM	MAX
A	44.3	44.45	44.60	50.65	50.80	50.95
A1	6.00	BSC		6.00	BSC	
A2	20.00	BSC		20.00	BSC	
D	59.45	59.6	59.75	59.45	59.6	59.75
D1	1.30	BSC		1.30	BSC	
D2	55.60	BSC		55.60	BSC	
D3	2.05	BSC		2.05	BSC	
D4	1.65	BSC		1.65	BSC	
D5	24.00	BSC		24.00	BSC	
e1	48.00	BSC		48.00	BSC	
N	124			124		

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. HOU 11MAR2008 CHK W. KODAMA 11MAR2008 APVD W. KODAMA 11MAR2008		Tyco Electronics Corporation Taipei, Taiwan	
DIMENSIONS: MM		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		NAME 0.8mm PITCH FAX MODEM SOCKET, 124 POSITIONS.	
		PRODUCT SPEC —			
MATERIAL —		QUALIFICATION TEST REPORT —		SIZE A3	CAGE CODE 00779
FINISH —		WEIGHT —		DRAWING NO C-440360	
CUSTOMER DRAWING				SCALE —	SHEET 5 of 6
				REV M	



AMP 1470-19 REV 31MAR2000