





4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

—, — .

© COPYRIGHT — BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

DW

—

P

LTR



DESCRIPTION

DATE

DWN


APVD

SEE SHEET 1.



\* COVER TAPE PEELING FORCE:


|            |   |
|------------|---|
| °165 ~ 180 | A |
| 0.1N~1.3N  | F |



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

MM



MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

|        |     |
|--------|-----|
| 0 PLC  | ± — |
| 1 PLC  | ± — |
| 2 PLC  | ± — |
| 3 PLC  | ± — |
| 4 PLC  | ± — |
| ANGLES | ± — |
| FINISH | —   |

DWN

O. HU

06NOV2007

CHK

S. HOU

06NOV2007

APVD

W. KODAMA

06NOV2007

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

—

CUSTOMER DRAWING



Tyco Electronics Corporation  
Taipei, Taiwan

NAME

MODULAR JACK, RJ45/RJ11  
TOP ENTRY, SMT TYPE

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779

C=1734858

SCALE

—

SHEET

3 OF 3

REV

A

|            |           |           |             |
|------------|-----------|-----------|-------------|
| 1400       | 350       | 8P8C      | 2-1734858-X |
| 1400       | 350       | 6P6C      | 1-1734858-X |
| 1400       | 350       | 4P4C      | 1734858-X   |
| TOTAL(PCS) | PCS/ REEL | RJ45/RJ11 | PART NUMBER |