

USB 2.0 Hi-Speed Panel Mount Extension Cable (B to Panel Mount B M/F), 1-ft.

MODEL NUMBER: U025-001-PM



Description

This 1-ft Panel Mount USB extension cable is manufactured using USB2.0 cable. It features a panel mount

connector that allows you to secure a USB B female port in a fixed location, for custom solutions such as an internally mounted drive. It is designed for use with USB 2.0 devices, but is backwards compatible and can also be used with USB 1.1. Made with superior foil shielding for reliable error-free data communications. The cable is manufactured with molded connectors and integral strain relief for extra durability and long life.

Features

- Add a fixed USB B female port to a custom solution, such as an internally mounted drive
- Data transfer rates (1.5 to 480 Mbps) for low speed and high speed devices
- Premium double-shielded cables with tinned copper braid and aluminum Mylar foil feature twisted 28/20 AWG data lines

Specifications

OVERVIEW			
Cable Type	USB		
ОИТРИТ			
USB Charging	No		
INPUT			
Cable Length (ft.)	1		
Cable Length (m)	0.3		
PHYSICAL			

Highlights

- Add a fixed USB B female port to a custom solution, such as an internally mounted drive
- Data transfer rates (1.5 to 480 Mbps) for low speed and high speed devices
- Premium double-shielded cables with tinned copper braid and aluminum mylar foil feature twisted 28/20 AWG data lines

System Requirements

 Any device requiring a longer USB cable

Package Includes

U025-001-PM 1-ft. Panel Mount
 USB 2.0 Extension Cable (USB B M/F)



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

Color	Black		
CONNECTIONS			
Connector A	USB B (MALE)		
Connector B	USB B (FEMALE) - PANEL MOUNT		
SPECIAL FEATURES			
Chromebook Compatible	No		
CERTIFICATIONS			
Certifications	RoHS compliant		
WARRANTY			
Product Warranty Period (Worldwide)	Lifetime limited warranty		

© 2015 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.