



~~REBRV~~
~~QBRREBRV~~

~~BRQ~~

Connector
~~BRSHQ~~
Heat Sink
Connection Method
Body Style

SMA Male
β
Black Anodized Aluminum Heatsink
Standard
Straight

~~BRHQ~~

~~BRQ~~
~~BRHQ~~
β
~~BRV~~
~~BRV~~

W

~~BRQ~~
~~BRQ~~
θ

W

~~BRQ~~
~~BRQ~~
θ

W

~~BRQ~~
~~BRQ~~
θ

W

~~BRQ~~
~~BRQ~~
θ

W

~~BRHQ~~

~~BRHQ~~
~~SHHQ~~
Color

W
Black



~~BRU~~
SH
~~BRV~~
~~BRV~~
~~BRV~~
~~BRV~~
~~BRV~~

SMA Male
~~BRSHU~~ RG
~~BRSHO~~
~~BRSHO~~
β

~~BRHQ~~

β
Black Anodized Aluminum Heatsink β

Conduction Cooled Body Black Anodized Aluminum Heatsink



Part Number Configuration	
PN	Connector
PE6219	SMA Male
PE6220	SMA Female
PE6221	N Male
PE6222	N Female
PE6223	TNC Male
PE6224	TNC Female
PE6225	7/16 Male
PE6226	7/16 Female

Table of Information	
Connector Type	DIM "A" (REF.)
SMA Male	0.78
SMA Female	0.63
N Male	1.13
N Female	1.09
TNC Male	0.96
TNC Female	1.06
7/16 Male	1.28
7/16 Female	1.32

DWG TITLE

PE62xx

- NOTES:
1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.
 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.
 3. DIMENSIONS ARE IN INCHES [mm].

PE PASTERNAK®
 Pasternack Enterprises, Inc.
 P.O. Box 16759 | Irvine | CA | 92623
 Phone: (949) 261-1920 | Fax: (949) 261-7451
 Website: www.pasternack.com | E-Mail: sales@pasternack.com

FSCM NO. 53919

CAD FILE 080213

SCALE N/A

SIZE A

2233