NVC3S5A51PLZ



Power MOSFET –60V, 250mΩ, –1.8A, P-Channel

Automotive Power MOSFET designed to minimize gate charge and low on resistance. AEC-Q101 qualified MOSFET and PPAP capable suitable for automotive applications.

Features

- 4V drive
- High ESD protection
- Low On-Resistance
- AEC-Q101 qualified and PPAP capable
- Pb-Free, Halogen Free and RoHS compliance

Typical Applications

- Reverse Battery Protection
- High Side Load Switch
- Automotive Body Controllers

SPECIFICATIONS

ABSOLUTE MAXIMUM RATING at Ta = 25°C (Note 1)

Parameter	Symbol	Value	Unit
Drain to Source Voltage	VDSS	-60	V
Gate to Source Voltage	VGSS	±20	V
Drain Current (DC) (Note 2)	ID	-1.8	Α
Drain Current (DC) (Note 3)	טי ן	-1.7	Α
Drain Current (Pulse)	IDP	-7.2	Α
PW ≤ 10μs, duty cycle ≤ 1%			
Power Dissipation Ta=25°C(Note 2)	PD	1.2	W
Power Dissipation Ta=25°C(Note 3)	רט	0.8	W
Junction Temperature and Storage Temperature	Tj, Tstg	-55 to +175	°C

Note 1: Stresses exceeding those listed in the Maximum Ratings table may damage the device. If any of these limits are exceeded, device functionality should not be assumed, damage may occur and reliability may be affected.

THERMAL RESISTANCE RATINGS

Parameter		Symbol	Value	Unit
Junction to Ambient	(Note 2)	Do LA	125	°C/W
	(Note 3)	$R_{ heta}$ JA	182	°C/W

Note 2 : Surface mounted on ceramic substrate(900mm² × 0.8mm).


Note 3: Surface mounted on FR4 board using a 92mm², 1 oz. Cu pad.

ON Semiconductor®

www.onsemi.com

VDSS	R _{DS} (on) Max	ID Max
	250mΩ@ -10V	
-60V	330mΩ@ –4.5V	-1.8A
	350mΩ@ –4.0V	

ELECTRICAL CONNECTION P-Channel



MARKING








ORDERING INFORMATION

See detailed ordering and shipping information on page 6 of this data sheet.

NVC3S5A51PLZ









PACKAGE DIMENSIONS


unit: mm

CPH3 CASE 318BA ISSUE O





RECOMMENDED SOLDERING FOOTPRINT



1 : Gate 2 : Source

3 : Drain

NVC3S5A51PLZ

ORDERING INFORMATION

Device	Marking	Package	Shipping (Qty / Packing)
NVC3S5A51PLZT1G	WH	CPH3 (Pb-Free / Halogen Free)	3,000 / Tape & Reel

[†] For information on tape and reel specifications, including part orientation and tape sizes, please refer to our Tape and Reel Packaging Specifications Brochure, BRD8011/D. http://www.onsemi.com/pub_link/Collateral/BRD8011-D.PDF

Note on usage: Since the NVC3S5A51PLZ is a MOSFET product, please avoid using this device in the vicinity of highly charged objects.

ON Semiconductor and the ON logo are registered trademarks of Semiconductor Components Industries, LLC (SCILLC) or its subsidiaries in the United States and/or other countries. SCILLC owns the rights to a number of patents, trademarks, copyrights, trade secrets, and other intellectual property. A listing of SCILLC's product/patent coverage may be accessed at www.onsemi.com/site/pdf/Patent-Marking.pdf. SCILLC reserves the right to make changes without further notice to any products herein. SCILLC makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does SCILLC assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation special, consequential or incidental damages. "Typical" parameters which may be provided in SCILLC data sheets and/or specifications can and do vary in different applications and actual performance may vary over time. All operating parameters, including "Typicals" must be validated for each customer application by customer's technical experts. SCILLC does not convey any license under its patent rights nor the rights of others. SCILLC products are not designed, intended, or authorized for use as components in systems intended for surgical implant into the body, or other applications intended to support or sustain life, or for any other application in which the failure of the SCILLC product could create a situation where personal injury or death may occur. Should Buyer purchase or use SCILLC products for any such unintended or unauthorized application, Buyer shall indemnify and hold SCILLC and its officers, employees, subsidiaries, affiliates, and distributors harmless against all claims, costs, damages, and expenses, and reasonable attorney fees arising out of, directly or indirectly, any claim of personal injury or death associated with such unintended or unauthorized use, even if such claim alleges that SCILLC was negligent re