

## Caps to Holder FEC



500 VAC · 250VAC · 20A (UL/CSA)

**Description**

- Fits to type: [FEC](#)

**Standards**

- IEC 60127-6
- UL 512
- CSA C22.2 no. 39

**Approvals**

- VDE License Number: 137910 UG
- UL File Number: E39328

**References**

[General Product Information](#)

**Weblinks**

[Approvals](#), [RoHS](#), [CHINA-RoHS](#), [e-Store](#), [Distributor-Stock-Check](#), [Accessories](#), [Product Change Notification \(PCN\)](#)

**Technical Data**

Fuse-Link	5 x 20 or 6.3 x 32 mm
Rated Voltage	500VAC (VDE), 250VAC (UL/CSA)
Rated Current	10A (VDE), 20A (UL/CSA)
Degree of Protection	IP 40
Admissible Ambient Air Temp.	-40 °C to 85 °C
Material: Cap	Thermoset
Storage Conditions	0 °C to 60 °C, max. 70% r.h.

**Abmessungen**

————— 34.5 mm



## Variants

Cap	Fuse-Link	Degree of Protection	Order Number
Slot Knob	5 x 20mm	IP 40	0031.1611
Slot Knob	6.3 x 32mm	IP 40	0031.1613
Fingergrip	6.3 x 32mm	IP 40	0031.1616

## Packaging Unit

Plastic Bag (100 pcs.)

## Caps to Holder FEC



500 VAC · 250 VAC · 20 A (UL/CSA)

**Description**- Fits to type: [FEC](#)**Standards**

- IEC 60127-6
- UL 512
- CSA C22.2 no. 39

**Approvals**



- VDE License Number: 137910 UG
- UL File Number: E39328

**References**[General Product Information](#)**Weblinks**
[Approvals](#), [RoHS](#), [CHINA-RoHS](#), [e-Store](#), [SCHURTER-Stock-Check](#), [Distributor-Stock-Check](#)
**Technical Data**

Fuse-Link	5 x 20 or 6.3 x 32 mm
Rated Voltage	500 VAC (VDE), 250 VAC (UL/CSA)
Rated Current	10 A (VDE), 20 A (UL/CSA)
Degree of Protection	IP 40
Admissible Ambient Air Temp.	-40 °C to 85 °C
Material: Cap	Thermoset
Storage Conditions	0 °C to 60 °C, max. 70% r.h.

**Dimensions**

Length 34.5 mm

**Variants**

Cap	Fuse-Link	Degree of Protection	Order Number
Slot Knob	5 x 20mm	IP 40	0031.1611
Slot Knob	6.3 x 32mm	IP 40	0031.1613
Fingergrip	6.3 x 32mm	IP 40	0031.1616

[Distributor-Stock-Check](#) | [SCHURTER-Stock-Check](#) | [e-Store](#)
**Packaging Unit**

Plastic Bag (100 pcs.)

The specifications, descriptions and illustrations indicated in this document are based on current information. All content is subject to modifications and amendments.

The specifications, descriptions and illustrations indicated in this document are based on current information. All content is subject to modifications and amendments.