

**Micro Commercial Components** 

Micro Commercial Components 20736 Marilla Street Chatsworth

CA 91311

Phone: (818) 701-4933 Fax: (818) 701-4939 **RB751S-40** 

### **Features**

- Low Voltage, Low Inductance
- High Current Rectifier Schottky Diode
- For Power Supply
- Case Material: Molded Plastic. UL Flammability Classification Rating 94V-0 and MSL Rating 1
- Lead Free Finish/RoHS Compliant ("P" Suffix designates RoHS Compliant. See ordering information)
- Marking: 5

## **Maximum Ratings**


Symbol	Rating	Rating	Unit
$V_{RM}$	Peak Reverse Voltage	40	V
$V_R$	DC Reverse Voltage	30	V
Ιο	Mean Rectifying Current	30	mA
I <sub>FSM</sub>	Peak Forward Surge Current	200	mA
TJ	Junction Temperature	125	$^{\circ}\mathbb{C}$
T <sub>STG</sub>	Storage Temperature	-55 to +125	$^{\circ}\mathbb{C}$

### Electrical Characteristics @ 25°C Unless Otherwise Specified

Symbol	Parameter	Min	Тур	Max	Units	
OFF CHARACTERISTICS						
V <sub>F</sub>	Forward Voltage (I <sub>F</sub> =1mAdc)			0.37	Vdc	
I <sub>R</sub>	Reverse Current (V <sub>R</sub> =30Vdc)			0.5	uAdc	
Ст	Capacitance between Terminals (V <sub>R</sub> =1V, f=1MHz)	-	2		pF	

# 40 Volts Schottky Barrier Diode

# SOD-523





DIMENSIONS							
	INCHES		М	М			
DIM	MIN	MAX	MIN	MAX	NOTE		
Α	.059	.067	1.50	1.70			
В	.043	.051	1.10	1.30			
С	.030	.033	0.75	0.85			
D	.001	.003	0.01	0.07			
Е	.010	.014	0.25	0.35			
F	.003	.006	0.08	0.15			
G	.020	.028	0.50	0.70			
н	020	031	0.51	0.77			

## RB751S-40



●Electrical characteristic curves (Ta = 25°C)








Fig. 1 Forward characteristics

Fig. 2 Reverse characteristics

Fig. 3 Capacitance between terminals characteristics



## **Ordering Information**

Device	Packing
(Part Number)-TP	Tape&Reel3Kpcs/Reel

### \*\*\*IMPORTANT NOTICE\*\*\*

Micro Commercial Components Corp. reserves the right to make changes without further notice to any product herein to make corrections, modifications, enhancements, improvements, or other changes.
Micro Commercial Components Corp. does not assume any liability arising out of the application or use of any product described herein; neither does it convey any license under its patent rights, nor the rights of others. The user of products in such applications shall assume all risks of such use and will agree to hold Micro Commercial Components Corp. and all the companies whose products are represented on our website, harmless against all damages.

### \*\*\*APPLICATIONS DISCLAIMER\*\*\*

Products offer by *Micro Commercial Components Corp* . are not intended for use in Medical,

Aerospace or Military Applications.