
Features

- Ceramic bandpass filter
- 50Ω single-ended operation
- ullet Surface Mounted Module Package ($38 \mathrm{mm} \times 22 \mathrm{mm} \times 7 \mathrm{mm}$)

Package Dimensions



Maximum Ratings

Parameter	Unit	Minimum	Typical	Maximum
Operating Temperature Range	$^{\circ}\!\mathbb{C}$	-40	25	85
Storage Temperature Range	$^{\circ}\!\mathbb{C}$	-40	25	85
Power Handling Capability	Watt	-	-	3

Electrostatics Sensitive Device (ESD)

	ITF Co., Ltd.	Part No.	IFD0833	32
Integrated Rehnology February	102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City,	Rev. Date	2014-08-	29
	Gyounggi-Do, Korea 421-809	Rev.	AS 01	1/4

Specifications

Fo = 836.5MHz

	Minimum	Typical	Maximum	Unit
Center Frequency (Fo)	-	836.5	-	MHz
Insertion Loss (824~ 849MHz)	-	2.7	3.0	dB
Amplitude Ripple (824~ 849MHz)	-	0.3	0.5	dB
VSWR (824~ 849MHz)	-	1.3	1.5	-
Relative Attenuation @ 766.5 MHz @ 869 MHz 1950 ~ 2140 MHz	65.0 40.0 65.0	68.0 45.0 68.0		dB
Input/Output Impedance		50		Ohm

Notes:

- 1) All specifications are based on the matching schematic shown below, measured by Agilent Network analyzer and full 2 port calibration.
- 2) Electrical margin has been built into the design to account for the variations due to temperature drift and manufacturing tolerances
- 3) All attenuation measurements are measured relative to insertion loss

		-		١
1		P	-	
ı	ı	ı		
To the same		wheels	m Est	

IIF Co., Lta.
102-901, Bucheon Technopark 364,
Samjeong-Dong, Ojeong-Gu, Bucheon-City,
Gyounggi-Do, Korea 421-809

Part No.	IFD08332		
Rev. Date	2014-08-29		
Rev.	AS 01	2/4	

Matching Schematic

(Actual matching values may vary due to PCB layout and parasitics)




		_	
1	٠.		
4	•		

ITF Co., Ltd.
102-901, Bucheon Technopark 364,
Samjeong-Dong, Ojeong-Gu, Bucheon-City,
Gyounggi-Do, Korea 421-809

Part No.	IFD08332		
Rev. Date	2014-08-29		
Rev.	AS 01	3/4	

Typical Performance (at 25℃)



100		_	
	_		
	•		
4	•		

TTF Co., Ltd.
102-901, Bucheon Technopark 364,
Samjeong-Dong, Ojeong-Gu, Bucheon-City,
Gyounggi-Do, Korea 421-809

Part No.	IFD08332	
Rev. Date	2014-08-29	
Rev.	AS 01	4/4